

SECTION 1: Identification**1.1 Product identifier**

Trade name : BMG 6000™
Product form : Mixture

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

No additional information available

1.4 Details of manufacturer or importer**Supplier**

Whitmore
930 Whitmore Drive
Rockwall, Texas 75087
USA
T 1.972.771.1000
Regulatory@whitmores.com - www.whitmores.com

Distributor

Industrial Lubricants & Services Limited
P.O. Box 259 347
Botany, Manukau 2163 Auckland
New Zealand
T 0800 10 40 11 - F 0800 10 40 15
orders@ils.co.nz - www.ils.co.nz

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week
Within USA and Canada: 1.800.424.9300
Outside USA and Canada: +1.703.527.3887
(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
New Zealand	Chemtrec - New Zealand	Auckland	Local (City) +64 9-801 0034	
New Zealand	Chemtrec - New Zealand		Toll Free 0800 425 459	
New Zealand	New Zealand National Poison Centre Dunedin School of Medicine, University of Otago	P.O. Box 56 9054 Dunedin	0800 764 766 ILS Technical Helpline 0800 10 40 17	

SECTION 2: Hazard identification**2.1. Classification of the hazardous chemical**

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

2.2. GHS Label elements, including precautionary statements**GHS NZ labelling**

Hazard pictograms (GHS NZ) :



Hazard statements (GHS NZ) :

Prevention :

Response :

Disposal :

: H411 - Toxic to aquatic life with long lasting effects
: P273 - Avoid release to the environment.
: P391 - Collect spillage.
: P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Butene, homopolymer	CAS-No.: 9003-29-6	29.2515 – 29.265	Flam. Liq. 2, H225 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
graphite	CAS-No.: 7782-42-5	1.4325	Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Alkenyl amine	CAS-No.: Proprietary	0.15	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

No additional information available

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

graphite (7782-42-5)	
New Zealand - Occupational Exposure Limits	
Local name	Graphite, all forms except graphite fibres
WES-TWA (OEL TWA) [1]	3 mg/m ³ r (The value for respirable dust)
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Neoprene or nitrile rubber gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Eye protection : Wear eye protection
Skin and body protection : Wear suitable protective clothing
Respiratory protection : No respiratory protection needed under normal use conditions
Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Solid
Appearance : Grease.
Colour : dark grey
Odour : petroleum-like odour
Odour threshold : No additional information available
pH : No additional information available
Evaporation rate : No additional information available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Freezing point: Not applicable
Boiling point : No data available
Flash point : 204 °C Cleveland Open Cup Method
Auto-ignition temperature : Not applicable
Flammability : Non flammable.
Vapour pressure : No additional information available

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Relative density	: No additional information available
Density	: No additional information available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 8900 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: Not applicable
Minimum ignition energy	: No data available
VOC content	: < 0.1 %

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Butene, homopolymer (9003-29-6)	
LD50 oral rat	> 10000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 19.171 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
LC50 Inhalation - Rat [ppm]	> 4185 ppm (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))

Alkenyl amine (Proprietary)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 25 mg/l/4h

graphite (7782-42-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2000 mg/m ³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: ECHA

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Butene, homopolymer (9003-29-6)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Butene, homopolymer (9003-29-6)	
NOAEC (inhalation, rat, vapour, 90 days)	1 mg/l air Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
graphite (7782-42-5)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
BMG 6000™	
Viscosity, kinematic	8900 mm ² /s @ 40°C
Butene, homopolymer (9003-29-6)	
Viscosity, kinematic	1.66 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

Butene, homopolymer (9003-29-6)	
LC50 - Fish [1]	0.037 mg/l Test organisms (species): other:Fish, no other information
LC50 - Fish [2]	0.0011 – 1.19 mg/l Test organisms (species): other:Fish, no other information
EC50 - Crustacea [1]	> 3.1 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.04 mg/l Test organisms (species): other:Daphnid no other information.
EC50 72h - Algae [1]	> 19.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
BCF - Other aquatic organisms [1]	314 – 1882 (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	17.14 Source: Quantitative Structure Activity Relation
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.44 – 8.13 (log Koc, Calculated value)
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD50 oral rat	> 10000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
Alkenyl amine (Proprietary)	
LC50 - Fish [1]	0.11 mg/l 96 hr. Fathead Minnow
LC50 - Fish [2]	0.9 mg/l 96 hr. Sheepshead Minnow
EC50 - Crustacea [1]	0.011 mg/l 48 hr. Daphnia magna
NOEC (chronic)	0.013 mg/l 21 day Daphnia magna
NOEC chronic crustacea	0.013 mg/l 21 day Daphnia magna
Partition coefficient n-octanol/water (Log Kow)	7.5 Calculated
LD50 dermal rabbit	> 2000 mg/kg
LD50 oral rat	> 10000 mg/kg

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	19 mg/l
EC50 72h - Algae [2]	7.2 mg/l
ErC50 algae	> 100 mg/l
NOEC (chronic)	47 mg/l
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)

12.2. Persistence and degradability

BMG 6000™	
Persistence and degradability	No additional information available
Butene, homopolymer (9003-29-6)	
Not rapidly degradable	
graphite (7782-42-5)	
Not rapidly degradable	

12.3. Bioaccumulative potential

BMG 6000™	
Bioaccumulative potential	No additional information available
Butene, homopolymer (9003-29-6)	
BCF - Other aquatic organisms [1]	314 – 1882 (Calculated value)
Partition coefficient n-octanol/water (Log Pow)	17.14 Source: Quantitative Structure Activity Relation
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.44 – 8.13 (log Koc, Calculated value)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).
Alkenyl amine (Proprietary)	
Partition coefficient n-octanol/water (Log Kow)	7.5 Calculated

12.4. Mobility in soil

BMG 6000™	
Mobility in soil	No additional information available
Butene, homopolymer (9003-29-6)	
Partition coefficient n-octanol/water (Log Pow)	17.14 Source: Quantitative Structure Activity Relation
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.44 – 8.13 (log Koc, Calculated value)
Ecology - soil	Low potential for mobility in soil.
Alkenyl amine (Proprietary)	
Partition coefficient n-octanol/water (Log Kow)	7.5 Calculated

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Transport by road and rail

No data available

Transport by sea

No data available

Air transport

No data available

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 21/09/2022

Full text of H-statements	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard, Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

BMG 6000™

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Full text of H-statements	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.