

SAFETY DATA SHEET

ILS MULTICLEAN

Issued Date: 26/07/2022 Issued by: Industrial Lubricants & Services Ltd 9 pages

SECTION 1. IDENTIFICATION

Product Identifier

ILS MULTICLEAN

Company Name

Industrial Lubricants & Services Ltd

Address

PO Box 259 347, Botany, Manukau 2163 Auckland, New Zealand

Telephone/Fax Number

Tel: 0800 10 40 11 Fax: 0800 10 40 15

Emergency phone number

New Zealand National Poison Centre 0800 764 766

ILS Technical Helpline 0800 10 40 17

E-mail Address

orders@ils.co.nz

Recommended use of the chemical and restrictions on use

Degreaser

SECTION 2. HAZARD IDENTIFICATION

GHS/HSNO classification of the substance/mixture

HSR002530 - Cleaning Products (Subsidiary Hazard) Group Standard 2020

1 | P a g e

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

6.3B - Substances that are mildly irritating to the skin

6.5B - Substances that are contact sensitisers

GHS Label elements

Signal word Warning

Hazard statements H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

Prevention Precautionary statements

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust, fume, gas, mist, vapours or spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective clothing, gloves, eye/face protection and suitable

respirator.

Response Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see product label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage Precautionary statements

Not Allocated

Disposal Precautionary statements

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations.

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization

Name	Content in % weight	CAS NO
Solvents	1 - 10	
Surfactant	1 - 10	
Amides, coco, N,N-bis(hydroxyethyl)	1 - 10	68603-42-9
Ethanolamine	1 - 10	141-43-5
D-limonene	< 2	5989-27-5

Water > 60	7732-18-5
------------	-----------

SECTION 4. FIRST AID MEASURES

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 0800 764 766 and is available at all times. Have this MSDS with you when you call.

Inhalation

Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Ingestion

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Skin

Effects may be delayed. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact

If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

PPE for First Aiders

Wear rubber boots, overalls, gloves, apron, chemical goggles, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Advice to Doctor

Treat symptomatically. Effects may be delayed.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

SECTION 5. FIRE-FIGHTING MEASURES

Hazchem code HSR002530

Extinguishing media

SuitableIf material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam,

3 | P a g e

standard foam, dry agent (carbon dioxide, dry chemical

powder).

Not suitable Do not use water jet.

Specific hazards arising from theNon-combustible material.

Special precautions for fire- fightersNot combustible, however following evaporation of

aqueous component residual material can burn if ignited.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Methods and material for containment and cleaning up

Small spill Wear protective equipment to prevent skin and eye contamination. Avoid

inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

Large Spill Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents,

clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase

ventilation. Contain - prevent run off into drains and waterways. Use absorbent

(soil, sand or other inert material). Collect and seal in properly labelled

containers or drums for disposal. If contamination of crops, sewers or waterways

has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No

Not applicable

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Occupational exposure limits

Ingredient name	Exposure limits
2-Aminoethanol (Ethanolamine)	NZ HSWA 2015 (New Zealand).
	WES-TWA: 3 mg/m ³ 7.5 hours. Issued/ Revised:
	6/2016 Form: Mist
	WES-STEL: 6 mg/m³ 15 minutes. Issued/ Revised:
	9/2010 Form: Mist

As published by WorkSafe New Zealand.

WES-TWA (Workplace Exposure Standard - Time-weighted average). The average airborne concentration of a substance calculated over an eight-hour working day.

WES-Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded at any time during any part of the working day.

WES-STEL (Workplace Exposure Standard - Short-term exposure limit). The 15-minute time weighted average exposure standard. Applies to any 15-minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and timeweighted average exposures apply. Exposures at concentrations between the WES-TWA and the WES-STEL should be less than 15 minutes, should occur no more than four times per day, and there should be at least 60 minutes between successive exposures in this range.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values

As per the WorkSafe New Zealand the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator.

Personal Protection Equipment

RUBBER BOOTS, OVERALLS, GLOVES, APRON, CHEMICAL GOGGLES, RESPIRATOR.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear rubber boots, overalls, gloves, apron, chemical goggles, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715

and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Individual protection measures

Hygiene measures

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid.
Colour Green

Not Available Odour Not available. рН **Melting point** Not available. **Boiling point** 100°C approx. Not available. **Drop Point** Flash point Not available. Vapour pressure Not available. Not available. Vapour density

Density $0.95 - 1.00 \text{ g/cm}^3 @ 15^{\circ}\text{C}$

Solubility

Viscosity

Flammability Limits

Autoignition Temperature

Total VOC (g/Litre)

Miscible in water.

Not available.

Not available.

Not available.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability

The product is stable when stored and used as directed.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Elevated temperatures and sources of ignition.

Incompatible materials

Reactive or incompatible with the following materials: oxidising materials.

Hazardous Decomposition Products

Oxides of carbon and nitrogen, smoke and other toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

InhalationMaterial may be an irritant to mucous membranes and respiratory tract.IngestionSwallowing can result in nausea, vomiting and irritation of the gastrointestinal

tract.

Skin contact Contact with skin may result in irritation. A skin sensitiser. Repeated or

prolonged skin contact may lead to allergic contact dermatitis.

Eye contact May be an eye irritant.

Acute toxicity

Inhalation This material has been classified as non-hazardous. Acute toxicity estimate

(based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust

and mist or LC50 > 5,000 ppm gas

Ingestion This material has been classified as non-hazardous. Acute toxicity estimate based

on ingredients): >5,000 mg/Kg bw

Corrosion/Irritancy Eye: this material has been classified as not corrosive or irritating to eyes. Skin:

this material has been classified as a 6.3B - Substances that are mildly irritating

to the skin.

Sensitisation Inhalation: this material has been classified as not a respiratory sensitiser. Skin:

this material has been classified 6.5B - Substances that are contact sensitisers.

Aspiration hazard This material has been classified as non-hazardous.

Specific target organ

toxicity (single exposure) This material has been classified as non-hazardous.

Chronic Toxicity

Carcinogenicity This material has been classified as non-hazardous. **Mutagenicity** This material has been classified as non-hazardous.

Reproductive toxicity

(including via lactation) This material has been classified as non-hazardous

Specific target organ

toxicity (repeat exposure) This material has been classified as non-hazardous.

SECTION 12. ECOLOGICAL INFORMATION

7 | Page

Acute aquatic hazard

This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard

This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Ecotoxicity in the soil environment This material has been classified as non-hazardous.

Ecotoxicity to terrestrial vertebrates This material has been classified as non-hazardous.

Ecotoxicity to terrestrial invertebrates This material has been classified as non-hazardous.

Ecotoxicity No information available

Persistence and degradabilityNo information available.

Bioaccumulative potentialNo information available.

Mobility No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

SECTION 14. TRANSPORT INFORMATION

Road & Ra	il Transport	Marine Transport		Air Transport		
UN No.	N/R	UN No.	N/R	UN No.	N/R	
Proper Shipping	N/A	Proper Shipping		Proper Shipping	NI/A	
Name	N/A	Name	N/A	Name	N/A	
DG Class	N/R	DG Class	N/R	DG Class	N/R	
Sub Risk	None	Sub Risk	None	Sub Risk	None	
Pack Group	N/R	Pack Group	N/R	Pack Group	N/R	
Hazchem	N/R	Hazchem	N/R	Hazchem	N/R	

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

SECTION 15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

EPA Group Standard: HSR002530 - Cleaning Products (Subsidiary Hazard) Group Standard 2020

Approved handler No
Location test certificate No
Fire extinguishers No
Signage Yes
Emergency response Yes
Hazardous atmosphere zone No

SECTION 16. OTHER INFORMATION

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Date of preparation or last revision of SDS

SDS created: 27 July 2022 Supersedes: 11 October 2018

END OF SDS

Copyright in the layout, presentation and appearance of each SDS displayed is the intellectual property of Industrial Lubricants & Services Ltd

The compilation of SDS's displayed is the intellectual property of Industrial Lubricants & Services Ltd

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Industrial Lubricants & Services Ltd

9 | P a g e