



INDUSTRIAL  
LUBRICANTS &  
SERVICES LIMITED

# SAFETY DATA SHEET

## ILS MAGNA AW 100

Issued Date: 29/07/2024

Issued by: Industrial Lubricants & Services Ltd

9 pages

### SECTION 1. IDENTIFICATION

**Product Identifier**

ILS MAGNA AW 100

**Company Name**

Industrial Lubricants & Services Ltd

**Address**

PO Box 259 347,  
Botany, Manukau 2163  
Auckland, New Zealand

**Telephone**

Tel: 0800 10 40 11

**ILS Technical Helpline**

0800 10 40 17

**Emergency phone number**

***New Zealand National Poison Centre*** 0800 764 766

**Recommended use of the chemical and restrictions on use**

For specific application advice see appropriate Technical Data Sheet

### SECTION 2. HAZARD IDENTIFICATION

**GHS/HSNO classification of the substance/mixture**

This material is not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

**Signal Word**

No signal word.

**Hazard statement(s)**

No known significant effects or critical hazards.

**Precautionary statement(s)**

**Prevention**

Not Applicable

<b>Response</b>	Not Applicable
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Not Applicable
<b>Other hazards which do not result in classification</b>	Defatting to the skin
<b>Supplemental Information</b>	None

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

<b>Substance/mixture</b>	Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.
<b>Chemical characterization</b>	Mixture of substances and additives specified below.

<b>Ingredient name</b>	<b>%</b>	<b>CAS number</b>
Base oil - unspecified	95 – 100%	Varies - See Key to Abbreviations
2,6-di-tert-butylphenol	0.1 – 1%	128-39-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4. FIRST AID MEASURES

Keep water and mild soap near work site. For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

**Inhalation** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**Skin** Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

**Eye contact** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention immediately.

**First Aid Facilities** Eye wash, safety shower and normal washroom facilities.

**Advice to Doctor** Treatment should in general be symptomatic and directed to relieving any effects.

**For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)**

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### Suitable

Water spray or fog.  
Foam.  
Dry chemical powder.  
BCF (where regulations permit).  
Carbon dioxide.

#### Not suitable

Do not use water jet.

#### Specific hazards arising from the chemical

Swarf fires - Neat metal working oils may fume, thermally decompose or ignite if they come into contact with red hot swarf. To minimise the generation of red hot swarf ensure that a sufficient flow of oil is correctly directed to the cutting edge of the tool to flood it throughout cutting operations. As an additional precaution swarf should be regularly cleared from the immediate area to prevent the risk of fire. In a fire or if heated, a pressure increase will occur and the container may burst.

#### Hazardous combustion products

Combustion products may include the following:  
carbon oxides (CO, CO<sub>2</sub>) (carbon monoxide, carbon dioxide)

#### Hazchem code

Not Available

#### Special precautions for fire- fighters

Alert Fire Brigade and tell them location and nature of hazard.  
Wear breathing apparatus plus protective gloves in the event of a fire.  
Prevent, by any means available, spillage from entering drains or water courses.  
Use fire-fighting procedures suitable for surrounding area.  
DO NOT approach containers suspected to be hot.  
Cool fire exposed containers with water spray from a protected location.  
If safe to do so, remove containers from path of fire.  
Equipment should be thoroughly decontaminated after use.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment, and emergency procedures

#### For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material.

Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment (see Section 8).

### **For emergency responders**

Entry into a confined space or poorly ventilated area contaminated with vapour, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel".

### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

## **Methods and material for containment and cleaning up**

### **Small Spills**

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### **Large Spills**

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Contaminated absorbent material may pose the same hazard as the spilt product. Dispose of via a licensed waste disposal contractor.

---

## **SECTION 7. HANDLING AND STORAGE**

---

### **Precautions for Safe Handling**

Put on appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. During metal working, solid particles from workpieces or tools will contaminate the fluid and may cause abrasions of the skin. Where such abrasions result in a penetration of the skin, first aid treatment should be applied as soon as reasonably possible. The presence of certain metals in the workpiece or tool, such as chromium, cobalt and nickel, can contaminate the metalworking fluid, as can bacteria, and as a result may induce allergic and other skin reactions, especially if personal hygiene is inadequate. Concentrations of mist, fumes and vapours in enclosed spaces may result in the formation of explosive atmospheres. Excessive splashing, agitation or heating must be avoided. See also Section 8 for additional information on hygiene measures.

### **Conditions for safe storage, including any incompatibilities**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### **Not Suitable**

Prolonged exposure to elevated temperature

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure limits

Ingredient name	Exposure Limits
Base oil - unspecified	<b>NZ HSWA 2015 (New Zealand).</b> WES-STEL: 10 mg/m <sup>3</sup> 15 minutes. Issued/ Revised: 9/2010 Form: Mist WES-TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/ Revised: 6/2016 Form: Mist

LTTEL: Long Term Exposure Limits - Time Weight Average (TWA) over 8 hours.

STEL: Short Term Exposure Limits - Time Weight Average (TWA) over 15 Minutes

Note: Limits Shown for guidance only. Follow applicable regulations

### Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal

### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene Measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety glasses with side shields.

#### Hand protection

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves.

Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant

glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier / manufacturer and with a full assessment of the working conditions.

### Skin protection

Use of protective clothing is good industrial practice. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin.

Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

### Refer to standards:

Respiratory protection: AS/NSS 1715 and AS/NSS 1716

Gloves: AS/NSS 2161.1

Eye protection: AS/NSS 1336 and AS/NSS 1337

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.	Colour	Clear Yellow. [Dark]
Odour	Mild	pH	Not available.
Boiling point	Not available.	Melting point	Not available.
Drop point	Not available.	Flash point	Closed cup: >190°C (374°F) PM
Vapour Pressure	Not available.	Vapour Density	Not available
Density @ 15°C	<1000 kg/m <sup>3</sup> (<1 g/cm <sup>3</sup> ) at 15°C	Solubility	Insoluble in water
Viscosity @ 40°C	Kinematic: 104.7 mm <sup>2</sup> /s (104.7 cSt) at 40°C	Viscosity @ 100°C	11.1 mm <sup>2</sup> /s (11.1 cSt) at 100°C

## SECTION 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under normal conditions of storage and handling.

### Conditions to Avoid

Avoid all possible sources of ignition (spark or flame).

### Incompatible materials

Reactive or incompatible with the following materials: oxidising materials.

## Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

## Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerisation will not occur.

# SECTION 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

<b>Inhalation</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards.
<b>Skin contact</b>	Defatting to the skin. May cause skin dryness and irritation.
<b>Eye contact</b>	No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation</b>	No specific data.
<b>Ingestion</b>	No specific data.
<b>Skin contact</b>	Adverse symptoms may include the following: irritation dryness cracking
<b>Eye contact</b>	No specific data.

## Potential chronic health effects

<b>General</b>	No known significant effects or critical hazards.
<b>Inhalation</b>	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
<b>Ingestion</b>	Ingestion of large quantities may cause nausea and diarrhoea.
<b>Skin contact</b>	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.
<b>Eye contact</b>	Potential risk of transient stinging or redness if accidental eye contact occurs.
<b>Carcinogenicity</b>	No known significant effects or critical hazards.
<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Teratogenicity</b>	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.
<b>Fertility effects</b>	No known significant effects or critical hazards.

# SECTION 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No known significant effects or critical hazards.
<b>Persistence and degradability</b>	Expected to be biodegradable.
<b>Bioaccumulative potential</b>	This product is not expected to bioaccumulate through food chains in the environment.

	LogP	BCF	Potential
2,6-di-tert-butylphenol	4.5	-	high

**Mobility**

Spillages may penetrate the soil causing ground water contamination.

**Soil/water partition coefficient (KOC)**

Not available.

**Other ecological information**

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

**Disposal Methods**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

---

## SECTION 14. TRANSPORT INFORMATION

---

Road & Rail Transport	Marine Transport	Air Transport
UN No. -	UN No. -	UN No. -
Proper Shipping Name -	Proper Shipping Name -	Proper Shipping Name -
DG Class -	DG Class -	DG Class -
Sub Risk -	Sub Risk -	Sub Risk -
Pack Group -	Pack Group -	Pack Group -
Hazchem -	Hazchem -	Hazchem -

NOT Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

---

## SECTION 15. REGULATORY INFORMATION

---

**New Zealand Regulatory Information****HSNO Approval Number**

None assigned.

**HSNO Group Standard**

None assigned.

**HSNO Classification**

None assigned.

---

## SECTION 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**



SDS created: August 2019

SDS revised: July 2024

## Key to abbreviations

Varies = may contain one or more of the following 101316-69-2, 101316-70-5, 101316-71-6, 101316-72-7, 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-64-9, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 90669-74-2

## END OF SDS

*Copyright in the layout, presentation and appearance of each SDS displayed is the intellectual property of Industrial Lubricants & Services Ltd*

*The compilation of SDS's displayed is the intellectual property of Industrial Lubricants & Services Ltd*

*Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Industrial Lubricants & Services Ltd*