

# MSDS Supplement to GHS MSDS:

To comply with the Hazardous Substance and New Organisms Act, this coversheet offers New Zealand specific information. This page "0" is to be considered part of the MSDS.

Product Name & Company Identification:		
Trade Name:	Date of Issue:	
OIL-GLO Ultra Yellow-Green (SPI-OGYG)	17th February 2023	

# Page 0 of 5

Company Name:	INDUSTRIAL LUBRICANTS & SERVICES LTD 1/15 ACCENT DRIVE EAST TAMAKI AUCKLAND 2013 Ph: +64 9 274 0159
Emergency Contact:	National Poisons Centre - New Zealand 0800 764 766 or Chemcall 0800 243 622

# Hazards Identification:

This material is <u>NOT</u> classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020 and GHS 7

This material is <u>NOT</u> classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020. Transport of Dangerous Goods on Land

Other Information:	
HSN (Tariff Code)	2710.12.59 19B
Shelf Life	5 Years

SAFETY DATA SHEET

Page 1

Supersedes: 04/18/2019

SPI-OGYG, OIL-GLO® Ultra Yellow-Green

Effective: 02/17/2021

#### **Section 1: Identification**

GHS Product Identifier: SPI-OGYG, OIL-GLO Ultra Yellow-Green

Other Names: SPI-OGYG-1, SPI-OGYG-16, SPI-OGYG-1G, SPI-OGYG-1P6, SPI-OGYG-32, SPI-OGYG-5G, SPI-OGYG-55G, SPI-OGYG-8,

SPI-OGYG-8CS

Use of Product: Leak Detection

**Description:** Fluorescent Dye for Oil and Oil-Based Fluids.

Company Information: Spectronics Corporation 956 Brush Hollow Road Westbury, New York 11590

800-274-8888

516-333-4840 (for calls originating outside continental U.S.)

sds@spectroline.com

Emergency Contact: US & Canada: 800-424-9300 (24 HOURS CHEMTREC)

Outside US & Canada: +1 703-741-5970 (24 HOURS CHEMTREC)

#### **Section 2: Hazardous Identification**

Classification of Product: H304: Aspiration Hazard Category 1

Label Elements:

Signal Word: Danger

Hazard Statements: May be fatal if swallowed and enters airways

Precautionary Statements: IF SWALLOWED: Immediately call a poison doctor; do not induce vomiting; Store locked up

#### **Section 3: Composition**

#### **Hazardous Ingredients:**

Common Name/ Chemical Name	CAS Number	% W
<=3% DMSO Extracts, Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	10-20

## **Section 4: First-Aid Measures**

# **Primary Routes of Exposure:**

Inhalation: Remove to fresh air. If symptoms develop, seek immediate medical attention. If not breathing, give artificial respiration.

Eye Contact: Flush eyes with water for 15 minutes. If irritation develops, consult a physician.

**Skin Contact**: Wash affected area with soap and water and rinse thoroughly. If irritation develops, consult a physician.

**Ingestion**: Give water. Call a physician immediately. Do not induce vomiting.

**Aggravation of Existing Conditions:** Exposure to this product is not expected to contribute to, worsen or aggravate any existing medical conditions

Most Important Symptom: Treat symptomatically.

## **Section 5: Fire-Fighting Measures**

**Extinguishing Media:** Based on the NFPA guide, use dry chemical, carbon dioxide, water mist, water jet sprays, halogen, or alcohol foam suitable for Class B fires. Use water to cool containers exposed to fire. For large fires, use water spray, fog or alcohol foam, thoroughly drenching the burning material.

Unsuitable Extinguishing Media: High volume water with full jet. Oxidizers and reducers.

**Unusual Fire and Hazardous Combustion and Decomposition Products:** Smoke, soot, and toxic/irritating fumes (i.e., carbon dioxide, carbon monoxide, etc.). Oxides of nitrogen and carbon.

Fire and Explosion Hazards: May liberate irritating or toxic vapors during combustion or decomposition.

SPI-OGYG, OIL-GLO® Ultra Yellow-Green Effective: 02/17/2021 **SAFETY DATA SHEET** Supersedes: 04/18/2019 Page 2

Fire-Fighting Procedures/Equipment: Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH-approved, positive-pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Water can be used to cool and protect containers and surroundings.

#### **Section 6: Accidental Release Measures**

#### **Non-Emergency Personnel:**

General Advice: Avoid inhalation and contact with skin, eyes, or clothing. Wash hands and face before eating, drinking, or using tobacco products.

Personal Protective Equipment Needed: Wear impervious gloves, shoes, and protective clothing

#### **Emergency Personnel:**

Suitable Protective Gear: Wear impervious gloves, shoes and protective clothing.

Unsuitable Protective Gear: Not Applicable

Environmental Precautions: Prevent any contamination of local soils and water supply. Prevent ground water infiltration or any ground penetration. Avoid the spreading or entering into watercourses by using sand, soil, or other types of barriers. If contamination into water course or sewage system, alert appropriate authorities.

#### Containment/Clean-up Methods:

Containment & Recovery of Product: Contain with absorbent material, such as clay, soil, universal binding medium, or any commercially available absorbent. Shovel reclaimed dye and absorbent into a recovery or salvage drums for disposal. For larger spills, transfer to a salvage tank for recovery or safe disposal. Any residues should be treated like a small spill. This is not a RCRA hazardous waste per Title 40 CFR 261. Stop material from contaminating soil, or from entering sewers or bodies of water. For larger spills, transfer to a salvage tank for safe recovery/disposal. Residues are treated as small spills.

Disposal: Either incinerate or land fill in accordance with applicable local, state and federal regulations.

# **Section 7: Handling and Storage**

Handling Precautions: Use product only in well ventilated areas. Avoid breathing in mists or vapors from a heated product. Avoid formation of mists. Avoid heating product near flash point. Avoid prolonged or repeated contact with skin. Handle in ambient temperature.

Storage Conditions: Store in a cool, dry, well-ventilated area away from heat, ignition sources, and direct sunlight. Always keep containers tightly closed. Store away from oxidizing and reducing agents.

Personal Hygiene: Wash hands before breaks and at the end of the work day. Do not carry cleaning clothes used to absorb product in clothing. General hygiene measures for chemicals apply.

**Empty Container Precautions:** Do not reuse empty container for any purpose.

## **Section 8: Exposure Controls/Personal Protection**

#### **Occupational Exposure Limits:**

Component: 64742-56-6	Regulation	Type of listing	Value	
	OSHA Z-1	TWA Mist	5 mg/m3	
	ACGIH	TWA Inhalable particulate matter	5 mg/m3	
	Further information: L	Further information: URT irr: Upper Respiratory Tract irritation; A4: Not classifiable as a human carcinogen		
	OSHA PO	TWA Mist	5 mg/m3	

Biological Exposure Limits: No data available

Engineering Controls/Ventilation: Maintain airborne concentrations below the established exposure limits by providing adequate ventilation. General (dilution) ventilation should be acceptable. Additional local exhaust ventilation is recommended where dusts, mists or vapors may be released.

Airborne Oil Mist Exposure Limits: Mineral Oil

OSHA PEL: mg/m<sup>3</sup>, 8 hr. ACGIH TLV: 5mg/m<sup>3</sup>, 8 hr. ACGIH STEL: 10mg/m<sup>3</sup>

#### **Personal Protective Equipment:**

Respiratory Protection: Avoid breathing vapor and/or mist. If occupational exposure limits are exceeded wear NIOSH/OSHA approved equipment. Use a respiratory protection fitted with a combination filter A-P3 for short term use. High airborne concentrations may

**JRATION** SPI-OGYG, OIL-GLO® Ultra Yellow-Green Effective: 02/17/2021

SAFETY DATA SHEET Page 3 Supersedes: 04/18/2019

necessitate the use of self-contained breathing apparatus (SCBA) or a supplied air respirator. Respiratory protection programs must be in compliance with 29 CFR 1910.134.

Skin Protection: Wear protective clothing and appropriate impervious gloves.

Eye Protection: Wear safety goggles with peripheral coverage approved to EU Standard EN 166, AS/NZS 1337. An eye wash facility

should be readily available.

Hand Protection: When in contact with material, be sure to use proper gloves approved to standards (Europe: EN 374, U.S.: F739, &

AS/NZS: 2161). Gloves made from neoprene, nitrile or butyl rubber may provide suitable chemical protection.

Hygiene Measures: Wash thoroughly after handling, especially before eating, drinking, smoking, or using restroom facilities.

# **Section 9: Physical and Chemical Properties**

Physical State: Liquid
Appearance: Dark red
Odor: Light blend petroleum
Odor Threshold: No data available

pH: no data available

Melting/ Freezing Point: No data available Initial Boiling Point: No data available Boiling Range: > 300° F (150° C)
Flash Point (PMCC): 241.7° F (116.5°C)
Evaporative Rate: No data available
Solid Flammability: No data available
Gas Flammability: No data available

Upper/Lower Explosive Limit: No data available Vapor Pressure 68° F (20° C): No data available Vapor Density (Air=1): No data available

Relative Density: 0.933 Solubility in Water: Insoluble

Partition Coefficient: n-octanol/water: No data available

**Auto-ignition Temperature**: No data available **Decomposition Temperature**: No data available

Viscosity at 40°C: 15.4 cSt Viscosity at 100°C: 3.3 cSt

**VOC%**: 0

# **Section 10: Stability and Reactivity**

**Reactivity**: This product is non-reactive under ambient conditions

Stability: Stable under normal conditions of use. Can decompose slowly with localized heating over 300°C

Conditions to Avoid: High temperatures & a source of ignition. Toxic fumes may be released if product is heated above decomposition

point.

Incompatible Materials: Strong Acids, Strong oxidizing agents, and Reducing agents

Hazardous Decomposition Products: In the event of combustion, CO and CO<sub>2</sub> will be formed.

Hazardous Polymerization: Will not occur

## **Section 11: Toxicological Information**

64742-53-6		
Oral LD <sub>50</sub>	Rat	>5,000 mg/kg
Dermal LD <sub>50</sub>	Rabbit	>2,000 mg/kg
Inhalation LC <sub>50</sub>	Rat	5.7 mg/l
Eye Irritation	Rabbit	Not Irritating
Skin Irritation	Rabbit	Not Irritating

SPI-OGYG, OIL-GLO® Ultra Yellow-Green Effective: 02/17/2021

SAFETY DATA SHEET Page 4 Supersedes: 04/18/2019

**Carcinogenicity**: According to ACGIH, IARC, NTP, and OSHA, this product is not a hazardous carcinogen to humans. The classification as a carcinogen need not apply as it can be shown that the mineral oil contains less than 3 % DMSO extract as measured by IP 346.

Sensitization: This product is not classified as a sensitizer

**STOT-single exposure**: This product is not classified as a specific organ toxicant **STOT-repeated exposure**: This product is not classified as a specific organ toxicant

**Genetic Toxicity:** This product is not classified as a genetic toxin **Aspiration Hazard**: May be fatal if swallowed and enters airways **Likely Routes of Exposure**: Eyes, skin and respiratory tract

Symptoms:

<u>Eye Contact</u>: May cause mild irritation <u>Skin Contact</u>: May cause mild irritation <u>Inhalation</u>: May cause mild irritation

Ingestion: May cause gastrointestinal irritation

## **Section 12: Ecological Information**

#### Toxicity:

64742-53-6	
Fish LL <sub>50</sub> 96hr mg/l	>100mg/l
Crustacean LL <sub>50</sub> 96hr. mg/l	> 10,000 mg/L
Algae NOEL 72hr. mg/l	>100mg/l

Persistence & Degradability: No data available Bioaccumulation Potential: No data available

Mobility in Soil: No data available

## **Section 13: Disposal Considerations**

General Statements: Federal regulations may apply to empty container. State and/or local regulations may be different.

**Disposal:** Recover or recycle if possible, otherwise, dispose of in accordance with all local, state, and federal regulations. Sewage disposal is discouraged

**Special Instructions:** Be sure to contact the appropriate government environmental agencies if further guidance is required. Do not remove labels from container until container is cleaned properly. Containers can be reused or disposed of by landfill or incineration if appropriate to local law. Water with cleaning agents is required

Hazardous Waste Number: Not a RCRA hazardous waste

#### **Section 14: Transportation**

General Comments: This product is not classed as hazardous or regulated for transport under 49 CFR, IATA/ICAO, or IMDG

49 CFR:

**DOT Shipping Name:** Not Regulated

**DOT Label:** Not Applicable

DOT Identification No.: Not Applicable; Nonregulated shipments by air under 49 CFR, IATA/ICAO AND IMO

**UN Proper Shipping Name:** Not Applicable **Transport Hazard Class:** Not Applicable

Packing Group: Not Applicable
Classification Code: Not Applicable
Transport by Road/Rail (ADR/RID):
Environmental Hazard: Not Applicable
Tunnel Restriction Code: Not Applicable

**Transport by Sea (IMDG):** 

Marine Pollutant: Not Applicable
Environmental Hazard: Not Applicable

Transport by Air (IATA):

Special Precautions for User: Unless otherwise specified, general measures for safe transport must be followed

SPI-OGYG, OIL-GLO® Ultra Yellow-Green Effective: 02/17/2021 **SAFETY DATA SHEET** Supersedes: 04/18/2019 Page 5

Transport in Bulk: Non-dangerous material according to transport regulations

## **Section 15: Regulatory Information**

#### **Inventory Status:**

Inventory	Status
U.S. TSCA Inventory	Listed
Canadian Domestic Substances List (DSL)	Listed or Exempt
Australian Inventory of Chemical Substances (AICS)	One or more ingredients not listed
European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed
Japan Inventory of Existing and New Substances (ENCS)	One or more ingredients not listed
Korea Existing Chemical Inventory (KECI)	One or more ingredients not listed
China Inventory of Existing Chemical Substances (IECSC)	One or more ingredients not listed
Philippine Inventory of Chemicals (PICCS)	One or more ingredients not listed

SARA Title III Information: This product contains no chemicals subject to the reporting requirements of Section 313 of the emergency planning and community right to know act.

SARA - Section 302-Extremely Hazardous Substances: No regulated ingredients.

SARA - Section 302-Reportable Quantity: None. SARA - Section 311/312-Hazard Categories:

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactivity Hazard: No

Immediate (Acute) Health Hazard: Yes Delayed (Chronic) Health Hazard: No

Section 313-Toxic Chemicals: No regulated ingredients State Right-To-Know: No regulated ingredients

Clean Air Act Amendments - Ozone-Depleting Chemicals: No regulated ingredients

CONEG: This product is in compliance with CONEG (total cadmium, chromium, lead and mercury <100ppm

**CERCLA:** No regulated ingredients.

California - California Proposition 65: This product contains no chemical(s) known to the state of California to cause cancer.

## **Section 16: Other Information**

USER'S RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions (in addition to those described herein) are required. Any health hazard and safety information contained herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. It is the responsibility of the users to comply with all applicable federal, state and local laws and regulations.

Version 2: Amended CAS #, Viscosity, flash point

Version 3: Added Section 8 Occupational Exposure Limits, updated for aspiration hazard, Inventories

**END OF SAFETY DATA SHEET**