



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
substance / mixture
Number
Other names of the mixture
Hydraulic Oil PLUS
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Intended use of the mixture
Not recommended use of the mixture
Hydraulic oil.
not available
- 1.3. Details of the supplier of the safety data sheet**
- Importer**
Name or trade name
Address
Telephone
E-mail
Pacific Bio Lubricants Ltd.
11H Piermark Drive, North Harbour 0632, Auckland
New Zealand
09 973 4390
admin@lubeco.co.nz
- Manufacturer**
Name or trade name
Address
Telephone
Fax
E-mail
BIONA JERSÍN, s. r. o.
Jersín 45, Jersín, 588 25
Czech Republic
+ 420 567 277 164
+ 420 567 277 167
Ladislav.zelenka@biona.cz
- Competent person responsible for the safety data sheet**
Name
E-mail
Admin
admin@lubeco.co.nz
- 1.4. Emergency telephone number**
Technical Helpline NZ: 0800 582 326
New Zealand National Poisons Centre: 0800 764 766

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.
This product has not been classified as hazardous under applicable New Zealand regulations.
Not classified as Dangerous Goods for transport, according to NZS 5433:2012 Transport of Dangerous Goods on Land.

The most serious adverse physico-chemical effects

Unknown

The most serious adverse effects on human health and the environment

Unknown

2.2. Label elements

Additional information

EUH 210 Safety data sheet available on request.

2.3. Other hazards

Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) no. 1272/2008.

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances specified below and non-hazardous additives.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Name of the substance	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 119-47-1 ES: 204-327-1 Registration number: 01-2119496065-33-0000	2,2'-methyl-bis-(4-methyl-6-tert.-butylfenol)	>0,1	Repr. 2, H361f Aquatic Chronic 4, H413	
CAS: 128-37-0 ES: 204-881-4	2,6-di-tert-butyl-p-cresol	>0,1	Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	
CAS: 128-39-2 ES: 204-884-0 Registration number: 01-2119490822-33-0000	Alkylphenol	>0,1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 M _{acute} =1 M _{chronic} =1	

The full text of all standard phrases and guidelines is specified in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this Safety Data Sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

Inhalation

not available

Skin contact

not available

Eye contact

not available

Ingestion

not available

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Possible irritation of airways, cough, headache.

Skin contact

Not expected.

Eye contact

Not expected.

Ingestion

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist

Unsuitable extinguishing media

water - full jet

5.2. Special hazards arising from the substance or mixture

Fire produces heavy, black smoke, with potential development of carbon monoxide and dioxide and other toxic gases. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

The mixture is non-flammable. Provide sufficient ventilation. Use gloves in case of prolonged contact. Follow the instructions in Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per Section 13. Collected material should be disposed of in accordance with locally valid regulations. Upon an escape of large quantities of the product, inform the Fire Department and the Environmental Department of the Municipal Authority with extended scope of competencies. After removal of the product, wash the contaminated site with plenty of water or another suitable cleaning material. Do not use solvents.

6.4. Reference to other sections

7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in areas where it is not in contact with open fire and other ignition sources. No smoking. Protect against direct sunlight. Use non-sparking tools. Do not inhale gases and vapours. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight.

Storage class

12 - Other non-combustible liquids

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

8.2. Exposure controls

Follow usual measures for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye and face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant against the product. Observe recommendations of the particular manufacturer of the gloves in the choice of their appropriate thickness, material and permeability. Use barrier creams for skin protection, they should however not be applied once exposure has occurred. Observe other recommendations of the manufacturer. Other protection: Protective antistatic clothing made of natural fibres (cotton) or synthetic fibres resistant against elevated temperatures. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of toxic substances are exceeded or in a poorly ventilated environment.

Thermal hazard

not available

Restriction of the environment exposure

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	liquid at 20°C
Color	yellow
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	-30 °C (ISO 3016)
Initial boiling point and boiling range	data not available
Flash point	280 °C (EN ISO 2592)
Evaporation rate	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
Flammability limits	data not available
Explosive limits	data not available
Vapour pressure	data not available
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	data not available
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	data not available
Kinematic viscosity	41.5-51.5 mm ² /s at 40°C
Explosive properties	data not available
Oxidising properties	data not available

9.2. Other information

Density	0.903 g/cm ³ at 15 °C (EN ISO 12185)
Auto-ignition temperature	data not available

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is non-flammable

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

The product is stable under normal conditions.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. Thereby a dangerous exothermic reaction will be prevented.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous products are formed at high temperature and in fire, such as carbon monoxide and carbon dioxide, heavy smoke and nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

2,6-di-tert-butyl-p-cresol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining the value of	Source
oral	LD 50		890 mg/kg		rat			Lohmann Animal Nutrition GmbH

2,2'-methyl-bis-(4-methyl-6-tert.-butylfenol)

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining the value of	Source
oral	LD 50		>5000 mg/kg		rat			RheinChemie
dermal	LD 50		>10000 mg/kg		rat			RheinChemie

Based on available data the classification criteria are not met.

Corrosion/skin irritation

Based on available data the classification criteria are not met.

Serious eye damage / eye irritation

Based on available data the classification criteria are not met.

Respiratory / skin sensitization

Based on available data the classification criteria are not met.

Germ cells mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

2,6-di-tert-butyl-p-cresol

Parameter	Method	Value	Time of exposure	Species	Environment	Determining the value of	Source
IC 50		>0.42 mg/l	72 hour	Scenedesmus subspicatus			Lohmann Animal Nutrition GmbH
LC 50		>0.31 mg/l	48 hour	daphnia (Daphnia magna)			Lohmann Animal Nutrition GmbH
LC 50		>0.57 mg/kg	96 hour	Branchydanio rerio			Lohmann Animal Nutrition GmbH

The product contains no substances with an effect against active action of microorganisms.

12.2. Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

Insignificant.

12.4. Mobility in soil

The product is soluble and mobile in water and soil. Contamination of water courses may occur in case of rain.

12.5. Results of PBT and vPvB assessment

The product is not classified as PBT or vPvB.

12.6. Other adverse effects

not available

SECTION 13: Disposal considerations

Hazard of environmental contamination; remove waste in accordance with local and/or national regulations.

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to an authorised person for waste removal (specialized company) authorised for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Legislation of waste

Council Directive 75/442/EEC on waste, as last amended. Council Directive 91/689/EEC on hazardous waste, as last amended. Decision 94/3/EC establishing a list of wastes, as last amended.

Code of type of waste

130111	
Type of waste	synthetic hydraulic oils
Subgroup of waste	waste hydraulic oils
Waste group	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)

Code of type of waste packaging

150110	
Type of waste	packaging containing residues of or contaminated by dangerous substances
Subgroup of waste	packaging (including separately collected municipal packaging waste)
Waste group	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

SECTION 14: Transport information

14.1. National regulations

Land Transport Standard: Dangerous Goods NZS 5433:2012
This product is not regulated as a Dangerous Good.

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

14.2. UN number and name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. EU Ecolabel licence no. CZ/27/022 - meets the definition of an Environmentally Acceptable Lubricant (EAL) under the US EPA Vessel General Permit 2013 (VGP 2013).**15.3. National regulatory information – New Zealand**

HSNO Approval number: HSR002605

HSNO Group Standard: Lubricants (Low Hazard) Group Standard 2006

16. SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

A list of additional standard phrases used in the safety data sheet

EUH 210	Safety data sheet available on request.
---------	---

Other important information about safety of human health

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Unique Numeric Identifier used in chemistry for chemical substances
CLP	Classification, Labelling and Packaging
DNEL	Derived no-effect level
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
Ems	Emergency plan
ErC50	Environmental Release category
ES	Identification code for each substance listed in EINECS
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

Hydraulic Oil PLUS

Creation date	28. April 2016	Revision no.	
Date of revision		Version	1

IC50	Concentration causing 50 % blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Transport
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
Log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
MFAG	First Aid Manual
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent ,Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
PNEC	Predicted no-effect concentration
REACH	Registration, Evaluation and Restriction of chemicals (EP and Council Regulation (EC) No.1907/2006)
RID	Agreement on the transport of dangerous goods by rail
UN	Four-digit code reflecting the characteristics of substances or mixtures in transport
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment
Eye Irrit.	Eye irritation
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about the sources of data used to compile the Safety Data Sheet

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.