

SAFETY DATA SHEET

Section 1: Identification

Product identifier TRIM® MicroSol® 692XT

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Metal working fluids

Restrictions on use Applicable for industrial settings only. No other uses are advised.

Details of manufacturer or importer

Supplier

Company name Industrial Lubricants & Services Ltd

Address 15 Accent Drive

East Tamaki 2013

Auckland New Zealand

Telephone 64 9 2740159

ManufacturerMaster Fluid SolutionsAddress501 W. Boundary

Perrysburg, OH 43551

USA

e-mail info@masterchemical.com

Emergency telephone

number

ephone 0800 10 40 17 (NZ use only)

NEW ZEALAND NATIONAL

POISONS CENTRE

0800 764 766

Section 2: Hazard identification

HSNO classification 6.3A - Substances that are irritating to the skin

6.4A - Substances that are irritating to the eye

This material has been classified in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017 and classified as hazardous according to the Hazardous Substances (Classification) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

Routes of exposure Skin contact. Eye contact.

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)

!>

Exclamation mark

Signal word Warning

Hazard statement(s) Causes skin irritation. Causes serious eye irritation.

Precautionary statement(s)

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective

gloves.

Material name: TRIM® MicroSol® 692XT SDS NEW ZEALAND

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get

medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None.

Supplemental information None.

Section 3: Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients	
SEVERELY HYDROTREATED PETROLEUM OIL	64742-52-5	40 - < 50	
AMINE NEUTRALIZED PHOSPHATE ESTERS	Mixture	5 - < 10	
AMINE NEUTRALIZED CARBOXYLIC ACIDS	Mixture	3 - < 5	
PHENOXYISOPROPANOL	770-35-4	1 - < 3	
TRIMETHYLOLPROPANE POLYOXYPROPYLENE TRIAMINE	39423-51-3	1 - < 3	
Other components below reportable levels		40 - < 50	

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

In the unlikely event of swallowing contact a physician or poison control centre.

Notes to physician Provide general supportive measures and treat symptomatically.

Personal protection for first-aid

responders

In the case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Hazardous combustion

products

Combustion products may contain oxides of: Carbon (COx) Nitrogen (NOx) Phosphorus

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. For personal protection, see section 8. Use personal

protective equipment as required.

For emergency responders

Use personal protective equipment as required.

Environmental precautions Methods and materials for Prevent entry into waterways, sewer, basements or confined areas.

containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

Section 7: Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

Material name: TRIM® MicroSol® 692XT SDS NEW ZEALAND

Section 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form

SEVERELY HYDROTREATED PETROLEUM OIL (CAS

64742-52-5)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

No biological exposure limits noted for the ingredient(s).

TWA

Environment)

Components Type Value Form

SEVERELY TWA 5 mg/m3 Mist.

HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)

Biological limit values

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

5 mg/m3

Inhalable fraction.

levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9: Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.

Colour Straw yellow to amber

Odour Mild amine
Odour threshold Not available.
pH 9.6 - 10
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point 107.0 °C (224.6 °F)

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Material name: TRIM® MicroSol® 692XT

SDS NEW ZEALAND

Explosive limit - upper

(%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Kinematic viscosity157.5 cStKinematic viscosity temp40 °C (104 °F)

Other physical and chemical parameters

Flash point class ASTM D93-08 pH in aqueous solution 8.8 - 9.6 Specific gravity 0.981 - 0.991

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoidDo not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Incompatible materials Strong acids. Powerful oxidizers.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May be irritating to the skin.

Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to the skin. May be irritating to eyes.

Acute toxicity Not classified.

Skin corrosion/irritation May be irritating to the skin.

Serious eye damage/eye May be irritating to eyes.

irritation

Respiratory sensitisation Not classified.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Section 12: Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Material name: TRIM® MicroSol® 692XT

Bioaccumulative potential No data available.

Persistence and degradability

No data is available on the degradability of this product.

Mobility in soil No data available for this product.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal considerations

Disposal methods Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of in accordance with local regulations. Residual waste

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

Special precautions Dispose in accordance with all applicable regulations.

Method of disposal that should

not be used

Section 14: Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not regulated

Section 15: Regulatory information

HSNO Approval Number HSR002606

HSNO Group Standard Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group

Standard 2020

HSNO classification 6.3A - Substances that are irritating to the skin

6.4A - Substances that are irritating to the eye

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

PHENOXYISOPROPANOL (CAS 770-35-4) **HSNO** Approved

SEVERELY HYDROTREATED PETROLEUM OIL (CAS

64742-52-5)

TRIMETHYLOLPROPANE POLYOXYPROPYLENE

TRIAMINE (CAS 39423-51-3)

May be used as a single component chemical under an

appropriate group standard

May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own

right.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)* New Zealand New Zealand Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16: Other information

Issue date 04-February-2021 **Revision date** 05-February-2021

Version No.

Key abbreviations or acronyms

used Disclaimer Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe

conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Material name: TRIM® MicroSol® 692XT SDS NEW ZEALAND

Revision information

Section 2: Hazard identification: HSNO classification Section 2: Hazard identification:

Physical & Chemical Properties: Multiple Properties
Section 15: Regulatory information: HSNO Group Standard
Section 15: Regulatory information: HSNO Approval Number

Material name: TRIM® MicroSol® 692XT SDS NEW ZEALAND 6/6