

SAFETY DATA SHEET

Section 1: Identification

Product identifier TRIM™ OM210

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Metal working fluids

Restrictions on use Applicable for industrial settings only. No other uses are advised.

Details of manufacturer or importer

Supplier

Company name Industrial Lubricants & Services Ltd

Address 15 Accent Drive

East Tamaki 2013

Auckland New Zealand

Telephone 64 9 2740159

ManufacturerMaster Fluid Solutions (India) Pvt. Ltd.AddressB-41, Chakan Industrial Area Phase - 2

Pune - 410501 Maharashtra

India

e-mail sales@masterfluidsolutions.com

Emergency telephone

number

0800 10 40 17 (NZ use only)

NEW ZEALAND NATIONAL

POISONS CENTRE

0800 764 766

Section 2: Hazard identification

HSNO classification 6.1E - Substances that are acutely toxic – May be harmful, Aspiration hazard<n

This material has been classified in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017 and classified as hazardous according to the Hazardous Substances (Classification) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020 Transport of Dangerous Goods on Land.

Category 1

Routes of exposure Skin contact. Eye contact. Ingestion.

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Aspiration hazard

Not classified.

Label elements, including precautionary statements

Hazard symbol(s)

Environmental hazards

Health hazard

Signal word Danger

Hazard statement(s) May be fatal if swallowed and enters airways.

Precautionary statement(s)

Prevention Observe good industrial hygiene practices.

Response IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce

vomiting.

Storage Store locked up.

Material name: TRIM™ OM210 SDS NEW ZEALAND

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Other hazards which do not result in classification

None.

Supplemental information

None.

Section 3: Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
SEVERELY HYDROTREATED PETROLEUM OIL	64742-53-6	30 - < 40
Other components below reportable levels		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eve contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. In the unlikely event of swallowing contact a physician or poison control centre. Do not induce Ingestion

vomiting.

Provide general supportive measures and treat symptomatically. Notes to physician

Personal protection for first-aid Get medical attention, if needed.

responders

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Hazardous combustion

products

None under normal conditions. Combustion products may contain oxides of: Carbon (COx)

Phosphorus Sulfur (SOx)

Special protective equipment and precautions for firefighters Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. For personal protection, see section 8. Use personal

protective equipment as required.

For emergency responders

Use personal protective equipment as required.

Environmental precautions

Prevent entry into waterways, sewer, basements or confined areas.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

Section 7: Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

Section 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-53-6)	STEL	10 mg/m3	Mist.

Material name: TRIM™ OM210 SDS NEW ZEALAND

New Zealand. WES. (Workplace Exposure Standards)

Value **Form** Components **Type TWA** 5 mg/m3 Mist. **US. ACGIH Threshold Limit Values** Components Value **Form** Type **SEVERELY** TWA 5 mg/m3 Inhalable fraction.

HYDROTREATED PETROLEUM OIL (CAS 64742-53-6)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

Form Components Type Value SEVERELY TWA 5 mg/m3 Mist.

HYDROTREATED PETROLEUM OIL (CAS 64742-53-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9: Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Colour Light yellow to amber

Mild Odour

Odour threshold Not available. pН Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point > 175.0 °C (> 347.0 °F)

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit – upper Not available.

(%)

Not available. Vapour pressure Not available. Vapour density Relative density 1 kg/m3 Relative density temperature 25 °C (77 °F)

Material name: TRIM™ OM210 SDS NEW ZEALAND 3/5

5074 Version #: 02 Revision date: 13-October-2021 Issue date: 12-October-2021

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Kinematic viscosity 11 cSt

Kinematic viscosity temp 40 °C (104 °F)

Other physical and chemical parameters

Flash point class ASTM D92-90 Specific gravity 0.825 - 0.875

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid None known.

Incompatible materials Powerful oxidizers. Strong acids.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Not classified.

Eye contact Not classified.

Ingestion May be fatal if swallowed and enters airways.

Symptoms related to the May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Acute toxicity

Not classified.

Skin corrosion/irritation

Not classified.

Serious eye damage/eye

Not classified.

irritation

Respiratory sensitisation Not classified.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Section 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Persistence and degradability

No data is available on the degradability of this product.

Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: TRIM™ OM210 SDS NEW ZEALAND

Section 13: Disposal considerations

Disposal methods Dispose of contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

Special precautions Dispose in accordance with all applicable regulations.

Method of disposal that should

not be used

Review federal, state/provincial, and local government requirements prior to disposal.

Section 14: Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not regulated

Annex II of MARPOL 73/78 and

the IBC Code

Section 15: Regulatory information

HSNO Approval Number

HSNO Group Standard Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group

Standard 2020

HSNO classification 6.1E - Substances that are acutely toxic - May be harmful, Aspiration hazard<n

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

SEVERELY HYDROTREATED PETROLEUM OIL (CAS May be used as a single component chemical under an

64742-53-6) appropriate group standard

International Inventories

Country(s) or region Inventory name On inventory (yes/no)* New Zealand New Zealand Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

Section 16: Other information

Issue date 12-October-2021 **Revision date** 13-October-2021

Version No.

Key abbreviations or acronyms

used

Not available.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe

> conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Revision information Section 5: Fire-fighting measures: Hazardous combustion products

Material name: TRIM™ OM210 SDS NEW ZEALAND

5074 Version #: 02 Revision date: 13-October-2021 Issue date: 12-October-2021