

SAFETY DATA SHEET

Section 1: Identification			
Product name	TRIM™ OG205		
Other means of identification	None		
Recommended use of the chemi	ical and restrictions on use		
Recommended use	Metal working fluids		
Restrictions on use	Applicable for industrial settings only. No other uses are advised.		
Details of manufacturer or impo	rter		
Supplier			
Company name	Industrial Lubricants & Services Ltd		
Address	15 Accent Drive		
	East Tamaki 2013		
	Auckland		
	New Zealand		
Telephone	64 9 2740159		
Manufacturer	Master Fluid Solutions (India) Pvt. Ltd.		
Address	B-41, Chakan Industrial Area Phase - 2		
	Pune - 410501 Maharashtra		
	India		
e-mail	in-sales@masterfluidsolutions.com		
Emergency telephone number	0800 10 40 17 (NZ use only)		
NEW ZEALAND NATIONAL POISONS CENTRE	0800 764 766		

Section 2: Hazard identification

 HSNO classification
 6.5B - Substances that are contact sensitisers

 6.1E -Substances that are acutely toxic – May be harmful, Aspiration hazard

 This material has been classified in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017 and classified a

This material has been classified in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017 and classified as hazardous according to the Hazardous Substances (Classification) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020 Transport of Dangerous Goods on Land.

Classification of the hazardous chemical

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	

Label elements, including precautionary statements

Health hazard	Exclamation mark
Danger	

Signal word Hazard statement(s) Precautionary statement(s) Prevention

Hazard symbol(s)

May be fatal if swallowed and enters airways. May cause an allergic skin reaction.

Avoid breathing dust/mist/vapours/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

Response	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	None.
Supplemental information	None.

Section 3: Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Hydrotreated Middle Distillate (petroleum)	64742-46-7	70 - < 80
Severely Hydrotreated Petroleum Oil	64742-53-6	5 - < 10
Polysulfide	68425-15-0	1 - < 3
Sulfurized Ester	72102-30-8	1 - < 3
Other components below reportable levels		10 - < 20

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation	Move to fresh air.
Skin contact	Wash affected area with mild soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control centre. Do not induce vomiting.
Personal protection for first-aid responders	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Symptoms caused by exposure	May be fatal if swallowed and enters airways. May cause an allergic skin reaction.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically.

Section 5: Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for fire fighters	Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials.
Fire fighting equipment/instructions	Containers should be cooled with water to prevent vapour pressure build up.
Hazchem code	None.
Hazards from combustion products	None under normal conditions. Combustion products may contain oxides of: Carbon (COx)

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Use personal protective equipment as required.
For emergency responders	Use personal protective equipment as required.
Environmental precautions	Prevent entry into waterways, sewer, basements or confined areas.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

Section 7: Handling and storage

Precautions for safe handling	Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

Section 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

New Zealand. OELs (Workplace E Components	xposure Standards and Biolo Type	gical Exposure Indices) Value	Form
Hydrotreated Middle Distillate (petroleum) (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Severely Hydrotreated Petroleum Oil (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
)	TWA	5 mg/m3	Mist.
US. ACGIH Threshold Limit Value	s (TLV)		
Components	Туре	Value	Form
Hydrotreated Middle Distillate (petroleum) (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.
Severely Hydrotreated Petroleum Oil (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Туре	Value	Form
Hydrotreated Middle Distillate (petroleum) (CAS 64742-46-7)	TWA	5 mg/m3	Mist.
Severely Hydrotreated Petroleum Oil (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for the	e ingredient(s).	
Appropriate engineering controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.		
Individual protection measures,	for example personal protective equipm	ent (PPE)	
Eye/face protection	Safety glasses.		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

Section 9: Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Clear to pale yellow
Odour	Mild
Odour threshold	Not available.
рН	Not available.

Melting point/freezing point	>-15 °C (>5 °F)	
Initial boiling point and boiling range	Not available.	
Flash point	150.0 °C (302.0 °F)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable	
Upper/lower flammability or expl	osive limits	
Explosive limit - lower (%)	Not available.	
Explosive limit – upper (%)	Not available.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	1 g/cm ³	
Relative density temperature	25 °C (77 °F)	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Kinematic viscosity	5.5 mm²/s	
Kinematic viscosity temp	40 °C (104 °F)	
Other physical and chemical parameters		
Flash point class	ASTM D92-90	

Flash point class	ASTIVI D92-
Specific gravity	0.81 - 0.85

Section 10: Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	None known.
Incompatible materials	Powerful oxidizers. Strong acids.
Hazardous decomposition products	To avoid thermal decomposition, do not overheat.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May cause an allergic skin reaction.
Eye contact	Not classified.
Ingestion	May be fatal if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	May be fatal if swallowed and enters airways. May cause an allergic skin reaction.
Information on toxicological effe	ects
Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory irritation	Not available.
Respiratory or skin sensitisatior	1
Respiratory sensitisation	Not classified.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity	Not classifiable as to carcinogenicity to humans.
ACGIH Carcinogens	
Not available.	
IARC Monographs. Overall	Evaluation of Carcinogenicity
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	May be fatal if swallowed and enters airways.
Narcotic effects	None known.
Chronic effects	None known.

Section 12: Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available for this product.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal considerations

Disposal methods	Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Follow precautions for safe handling described in this safety data sheet.
Special precautions to be taken during disposal	Dispose in accordance with all applicable regulations.
Method of disposal that should	None known.

not be used

Section 14: Transport information

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

Section 15: Regulatory information

HSNO classification

6.5B - Substances that are contact sensitisers6.1E -Substances that are acutely toxic – May be harmful, Aspiration hazard

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Hydrotreated Middle Distillate (petroleum) (CAS 64742-46-7) Polysulfide (CAS 68425-15-0)	May be used as a single component chemical under an appropriate group standard May be used as a single component chemical under an appropriate group standard
Severely Hydrotreated Petroleum Oil (CAS 64742-53-6)	May be used as a single component chemical under an appropriate group standard
Sulfurized Ester (CAS 72102-30-8)	May be used as a single component chemical under an appropriate group standard

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
*A "Vos" indicatos that all a	ampapents of this product comply with the inventory requirement	nts administered by the governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16: Other information

Issue date	18-July-2024
Version No.	01
Key abbreviations or acronyms used	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties HazReg Data: International Inventories GHS: Classification