



SAFETY DATA SHEET

ILS PL 20

Issued Date: 5/07/2025
Issued by: Industrial Lubricants & Services Ltd
9 pages

SECTION 1. IDENTIFICATION

Product Identifier

ILS PL 20

Company Name

Industrial Lubricants & Services Ltd

Address

PO Box 259 347,
Botany, Manukau 2163
Auckland, New Zealand

Telephone

Tel: 0800 10 40 11

ILS Technical Helpline

0800 10 40 17

Emergency phone number

New Zealand National Poison Centre

0800 764 766

Recommended use of the chemical and restrictions on use

Base oil. As a component in lubricating or related products.

SECTION 2. HAZARD IDENTIFICATION

GHS 7/HSNO classification of the substance/mixture

This material is not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

Signal Word

No Signal Word

Hazard Classifications

No known significant effects or critical hazards

Hazard Statements

No known significant effects or critical hazards

Prevention Precautionary Statements

Not Applicable

Response Precautionary Statements

Not applicable.

Storage Precautionary Statement

P405 Store locked up.

Poison Schedule

Not Applicable

Dangerous Good Classification

Not classified as Dangerous Goods by the criteria of the "New Zealand NZS 5433:2020 Transport of Dangerous Goods on Land".

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/mixture

Mixture

Ingredient name	%	CAS number
	100 Balance	64742-01-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

For advice in an emergency, contact a Poisons Information Centre (0800 764 766) or a doctor at once.

Inhalation

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If breathing laboured and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a facemask. If breathing has stopped apply artificial respiration at once. In the event of cardiac arrest, apply external cardiac massage. Seek immediate medical advice.

Ingestion

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Skin

If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital.

Eye contact

If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

First Aid Facilities

Eye wash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

For advice in an emergency, contact NZ Poison Centre or a doctor at once (0800 764 766)

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable

If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Not suitable

Do not use water jet.

Hazardous combustion products

Combustible liquid.

Hazchem code

Not available.

Special precautions for fire- fighters

On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Small Spills:

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

Large Spills:

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Store locked up. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and used in accordance with the relevant regulations.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

Ingredient name	Exposure limits
Oil mist, refined mineral: (CAS No 64742-01-4)	TWA: 5 mg/m ³ / 8 hours

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Appropriate engineering controls

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator. Vapour heavier than air - prevent concentration in hollows or sumps. Do NOT enter confined spaces where vapour may have collected.

Individual protection measures

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Wear safety shoes, overalls, gloves, safety glasses, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid	Flash point	>200°C (COC)
Colour	Colorless	Vapour pressure	NA
Odour	Neutral	Relative Vapour density	NA
pH	Not Applicable	Solubility	Negligible
Flammability Limits (%):	NA	Melting Point/Range (°C)	Not Applicable
Auto ignition temperature (°C)	>335	Pour Point/Range (°C)	-15
Boiling Point/Range (°C)	Not Available	Viscosity @ 100°C	20.5 cSt
Total VOC (g/Litre)	Not Available	Molecular Weight	Not Available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability

Stable under normal conditions of use.

Conditions to Avoid

Elevated temperatures and sources of ignition.

Incompatible materials

Incompatible with strong oxidizing agents.

Hazardous Decomposition Products

Oxides of carbon and nitrogen, smoke and other toxic fumes.

Possibility of hazardous reactions

No known hazardous reactions.

SECTION 11. TOXICOLOGICAL INFORMATION

Symptoms related to the physical, chemical and toxicological characteristics

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

ACUTE EFFECTS

Inhalation

Harmful if inhaled. Material may be an irritant to mucous membranes and respiratory tract.

Ingestion

Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Skin contact

Contact with skin may result in irritation.

Eye contact

May be an eye irritant.

ACUTE TOXICITY

Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting

Skin contact

May be irritating to the skin. The symptoms may include redness, itching and swelling.

Corrosion/Irritancy

Eye: this material has been classified as not corrosive or irritating to eyes.
Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation

Inhalation: this material has been classified as not a respiratory sensitisier.
Skin: this material has been classified as not a skin sensitisier.

Aspiration hazard

This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure)

This material has been classified as not a specific hazard to target organs by a single exposure

CHRONIC TOXICITY

Mutagenicity

This material has been classified as not a mutagen.

Carcinogenicity Not considered to be a carcinogenic hazard.

Reproductive toxicity (including via lactation)
Not considered to be toxic to reproduction.

Specific target organ toxicity (repeat exposure)

This material has been classified as not a specific hazard to target organs by repeat exposure.

SECTION 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Ecotoxicity

No ecological data available for this material

Long-term aquatic hazard

This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Persistence and degradability

No information available.

Bio accumulative potential

No information available.

Soil Mobility

No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

SECTION 14. TRANSPORT INFORMATION

Road & Rail Transport		Marine Transport		Air Transport	
UN No.	-	UN No.	-	UN No.	-
Proper Shipping Name	-	Proper Shipping Name	-	Proper Shipping Name	-
DG Class	Non-Dangerous Goods	DG Class	Non-Dangerous Goods	DG Class	Non-Dangerous Goods
Sub Risk	None	Sub Risk	None	Sub Risk	None
Pack Group	-	Pack Group	-	Pack Group	-
Hazchem	-	Hazchem	-	Hazchem	-

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

SECTION 15. REGULATORY INFORMATION

New Zealand Regulatory Information

Not Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

HSNO Approval Number

HSR002602

HSNO Group Standard

Lubricants (Combustible) Group Standard 2020

HSNO Classification

Not applicable

SECTION 16. OTHER INFORMATION

References

Workplace Exposure Standards and Biological Exposure Indices.

Transport of Dangerous goods on land NZS 5433:2020

Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06). Assigning a hazardous substance to a group standard.

American Conference of Industrial Hygienists (ACGIH)

END OF SDS

Copyright in the layout, presentation, and appearance of each SDS displayed is the intellectual property of Industrial Lubricants & Services Ltd

The compilation of SDS's displayed is the intellectual property of Industrial Lubricants & Services Ltd

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or license or for inclusion as part of a collection of SDS without the express written consent of Industrial Lubricants & Services Ltd