

SAFETY DATA SHEET

Section 1: Identification

Product identifier TRIM® MicroSol™ 585XT

Other means of identification None.

Recommended use of the chemical and restrictions on use

Metal working fluids Recommended use

Restrictions on use Applicable for industrial settings only. No other uses are advised.

Details of manufacturer or importer

Supplier

Industrial Lubricants & Services Ltd Company name

Address 15 Accent Drive

East Tamaki 2013

Auckland New Zealand

64 9 2740159 **Telephone**

Manufacturer Master Fluid Solutions (Tianjin)

Address No. 66, No.9 Xin Ye Street, TEDA (West)

> Tianjin 300462 P.R. China

0800 10 40 17 (NZ use only)

e-mail info@masterchemical.com.cn

Emergency telephone

number

NEW ZEALAND NATIONAL

POISONS CENTRE

0800 764 766

Section 2: Hazard identification

HSNO classification 6.3A - Substances that are irritating to the skin

6.4A - Substances that are irritating to the eye

This material has been classified in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017 and classified as hazardous according to the Hazardous Substances (Classification) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2020 Transport of Dangerous Goods on Land.

Routes of exposure Skin contact. Eye contact.

Classification of the hazardous chemical

Physical hazards Not classified.

Skin corrosion/irritation Health hazards Category 2

> Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)

Exclamation mark

Signal word Warning

Hazard statement(s) Causes skin irritation. Causes eye irritation.

Precautionary statement(s)

Prevention Wash hands thoroughly after handling. Wear protective gloves.

Material name: TRIM® MicroSol™ 585XT SDS NEW ZEALAND **Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None.

Supplemental information None.

Section 3: Composition/information on ingredients

Mixture

| Identity of chemical ingredients | CAS number and other unique identifiers | Concentration of ingredients | |
|--|--|---------------------------------|--|
| SEVERELY HYDROTREATED PETROLEUM OIL | 64742-53-6 | 30 - < 40 | |
| AMINE NEUTRALIZED PHOSPHATE ESTERS | Mixture | 5 - < 10 | |
| PHENOXYISOPROPANOL | 770-35-4 | 3 - < 5 | |
| AMINE NEUTRALIZED CARBOXYLIC ACIDS | Mixture | 1 - < 3 | |
| Other components below reportable levels | | 50 - < 60 | |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

In the unlikely event of swallowing contact a physician or poison control centre.

Notes to physician Provide general supportive measures and treat symptomatically.

Personal protection for first-aid

responders

Get medical attention, if needed.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Hazardous combustion

products

Combustion products may contain oxides of: Carbon (COx) Nitrogen (NOx) Phosphorus

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. For personal protection, see section 8. Use personal

protective equipment as required.

For emergency responders Use personal protective equipment as required.

Environmental precautions

Prevent entry into waterways, sewer, basements or confined areas.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

Section 7: Handling and storage

Precautions for safe handling Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

Section 8: Exposure controls/personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

New Zealand. WES. (Workplace Exposure Standards)

| Components | Туре | Value | Form |
|---|------|----------|---------------------|
| SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-53-6) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| US. ACGIH Threshold Limit Values | | | |
| Components | Туре | Value | Form |
| SEVERELY | TWA | 5 mg/m3 | Inhalable fraction. |

SEVERELY HYDROTREATED PETROLEUM OIL (CAS

64742-53-6)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

Form Components Type Value SEVERELY **TWA** 5 mg/m3 Mist. **HYDROTREATED** PETROLEUM OIL (CAS 64742-53-6)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9: Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Colour Yellow Odour Mild

Not available. **Odour threshold** 9.3 - 10.3Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

> 120.0 °C (> 248.0 °F) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Material name: TRIM® MicroSol™ 585XT 2002 Version #: 01 Issue date: 18-February-2021

Not available. Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Soluble Solubility (water)

Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Kinematic viscosity

Other physical and chemical parameters

Flash point class **ASTM D93-08**

9 - 10pH in aqueous solution

Specific gravity 0.943 - 1.043

Section 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Incompatible materials Strong acids. Powerful oxidizers.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May be irritating to the skin. Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to the skin. May be irritating to eyes.

Acute toxicity Not classified.

Skin corrosion/irritation May be irritating to the skin. May be irritating to eyes. Serious eye damage/eye

irritation

Respiratory sensitisation Not classified.

Skin sensitisation This product is not expected to cause skin sensitisation.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans

Not classified. Reproductive toxicity Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard**

Section 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available.

Persistence and No data is available on the degradability of this product. degradability

Material name: TRIM® MicroSol™ 585XT SDS NEW ZEALAND Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal considerations

Disposal methods Dispose of contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

Special precautions Dispose in accordance with all applicable regulations.

Method of disposal that should

Review federal, state/provincial, and local government requirements prior to disposal.

not be used

Section 14: Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not regulated

the IBC Code

Section 15: Regulatory information

HSNO Approval Number

HSNO Group Standard Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group

Standard 2020

HSNO classification 6.3A - Substances that are irritating to the skin

6.4A - Substances that are irritating to the eye

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

PHENOXYISOPROPANOL (CAS 770-35-4) **HSNO Approved**

SEVERELY HYDROTREATED PETROLEUM OIL (CAS May be used as a single component chemical under an

64742-53-6) appropriate group standard

International Inventories

Country(s) or region Inventory name On inventory (yes/no)* New Zealand Inventory New Zealand

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

Section 16: Other information

Issue date 18-February-2021

Version No. 01

Key abbreviations or acronyms

used

Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers

> in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Revision information Composition / Information on Ingredients: Ingredients

Ecological Information: Ecotoxicity

Transport Information: Material Transportation Information

HazReg Data: International Inventories

GHS: Classification

Material name: TRIM® MicroSol™ 585XT SDS NEW ZEALAND 5/5