

**MSDS Supplement to GHS MSDS:** To comply with the Hazardous Substance and New Organisms Act, this coversheet offers New Zealand specific information. This page "0" is to be considered part of the MSDS.

Product Name & Company Identification:			
Trade Name:	Date of Issue:		
JAX GEAR-GUARD FG	30th Aug 2021		

# Page 0 of 5

Company Name:	INDUSTRIAL LUBRICANTS & SERVICES LTD 1/15 ACCENT DRIVE EAST TAMAKI AUCKLAND 2013 Ph: +64 9 274 0159	
Emergency Contact:		

# Hazards Identification:

This material is not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012. Transport of Dangerous Goods on Land.



# SAFETY DATA SHEET

**CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD** (HCS) 29 CFR 1910.1200

Page 1 of 5

**Revision Date** 7/24/2018 **Supersedes Date** 7/30/2015

# **SECTION 1. IDENTIFICATION**

**Product identifier:** JAX Gear-Guard® FG

00562 Part number:

**Identified uses:** Lubricant where there may be incidental food contact

**Uses advised against:** Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

**JAX INC** Supplier:

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

**Email contact:** info@jax.com

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

**INFOTRAC: Emergency telephone:** 

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

### **SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:** Skin Sensitization Cat. 1

**Label elements** 

Pictograms:



Warning Signal word:

**Hazard statements:** May cause an allergic skin reaction.

**Precautionary** statements:

Avoid breathing fume/ mist/ vapors/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Avoid release to the environment. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash

occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage. Dispose of contents/

container to an approved waste disposal plant.

Hazards not otherwise Toxic to aquatic life with long lasting effects.

classified:

Additional information: Not applicable.

# **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Composition:	<u>Chemical name</u>	<u>%</u>	CAS#	<u>Impurities</u>
	Zinc oxide	5-10	1314-13-2	None
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine	<1	94270-86-7	None
	White mineral oil (petroleum)	Proprietary	8042-47-5	None
	Zinc oxide	Proprietary	1314-13-2	None
	Calcium carbonate (Dust)	Proprietary	471-34-1	None

#### **SECTION 4. FIRST-AID MEASURES**

First aid measures

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation Eye contact:

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Page 2 of 5

**Revision Date Supersedes Date** 

7/24/2018 7/30/2015

Most important

May cause an allergic skin reaction.

symptoms and effects, both acute and delayed:

Indication of any immediate medical

See First aid measures (above).

attention and special treatment available:

**General information:** No further relevant information available.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be

used to keep fire-exposed containers cool.

Unsuitable extinguishing media: Do not use direct stream of water.

Specific hazards:

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters: Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined space or as otherwise needed.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

procedures:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

#### **SECTION 7. HANDLING AND STORAGE**

**Precautions for safe** handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

**Conditions for safe** storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

# **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Workplace exposure Chemical name **Exposure limit and source** limits:

Zinc oxide

Not available Not available

N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1methanamine

White mineral oil (petroleum) 5 mg/m3 (oil mist), TWA, ACGIH

Zinc oxide Not available

TWA (respirable) =  $5 \text{ mg/m}^3$  (NIOSH REL) Calcium carbonate (Dust)

Exposure controls

**Engineering controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

Page 3 of 5 JAX Gear-Guard® FG

**Revision Date Supersedes Date** 

7/24/2018 7/30/2015

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

White semi-solid / bland odor Upper flammability limit: Not available Appearance / odor:

> Lower flammability limit: Not available

Semi-solid **Physical state:** Not available Vapor pressure:

Odor threshold: Not available Vapor density:

Not available

Melting / freezing point: Not available Relative density: 0.9 (typical)

**Initial boiling point** Not available and boiling range:

Insoluble Solubility in water:

Flash point: 338°F (170°C), ASTM D 92 **Partition coefficient** Not available

(n-octanol/water):

**Evaporation rate:** Not available Not available **Autoignition temperature:** 

**Decomposition temperature:** Not available

Flammability (solid, gas): Not applicable Viscosity: Not available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. Chemical stability:

Not available

Possibility of Hazardous reactions are not expected to occur.

hazardous reactions:

pH:

Conditions and Avoid heat, sparks, open flames, other ignition sources and oxidizing materials. materials to avoid:

**Hazardous** Carbon oxides; nitrogen oxides (NOx); oxides of phosphorus.

decomposition products:

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Eve contact: No known significant effects or critical hazards.

Skin contact: May cause an allergic skin reaction.

Inhalation: No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion:

LC<sub>50</sub> Components Component

information: Zinc oxide >5000 mg/kg (oral, rat) Not available

N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-

methanamine

White mineral oil (petroleum) Not available >5000 mg/kg (oral, rat) Zinc oxide >5000 mg/kg (oral, rat) Not available Calcium carbonate (Dust) Not available Not available

>2000 mg/kg (oral, rat)

Not available

Information on physical, chemical and toxicological effects

**Symptoms:** See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: May cause an allergic skin reaction.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Numerical measures of Not determined

toxicity:

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** Toxic to aquatic life with long lasting effects.

Page 4 of 5 JAX Gear-Guard® FG

**Revision Date Supersedes Date** 

7/24/2018 7/30/2015

L(E)C<sub>50</sub> Component Components information: Zinc oxide 1.1 mg/l/96h [Oncorhynchus mykiss (rainbow trout)] N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-1.4 mg/l, 24h (Daphnia magna) methanamine White mineral oil (petroleum) Not available 1.1 mg/l/96h [Oncorhynchus mykiss (rainbow trout)] Zinc oxide Not available Calcium carbonate (Dust) Persistence and Not determined degradability: **Bioaccumulative** Not determined potential: Mobility in soil: Not available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Other adverse effects:

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. methods:

# Consult national or regional authorities for proper disposal and reporting procedures.

#### **SECTION 14. TRANSPORTATION INFORMATION**

Not determined

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing Group:	Remarks:
U.S. D.O.T.	Not regulated	None	None	None	None
ADR/RID	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)	UN3077	9	III	None
<u>IMDG</u>	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)	UN3077	9	III	Limited quantity: 5 kg.
<u>IATA</u>	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)	UN3077	9	III	Maximum quantity for cargo only: 400 kg. Maximum quantity for passenger: 400 kg. Limited quantity: 30 kg G.

#### **SECTION 15. REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

SARA Section 302 **Extremely Hazardous** None

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Substances:

SARA Section 304 **CERCLA Hazardous**  Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals: Zinc compounds, present at 4-6%

All components are either listed or exempted from listing on the TSCA Inventory. TSCA Inventory:

**U.S. State Regulations** 

California Proposition 65 Status:

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California

Proposition 65 at levels which would be subject to the proposition.

**Proposition 65 Listed Components:**  Not applicable

# **International Regulations**

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI:

California

JAX Gear-Guard® FG

Revision Date 7/24/2018 Supersedes Date 7/30/2015

Not available

Australia: Not available
Switzerland: Not available

## **SECTION 16. OTHER INFORMATION**

Sections Revised: Section 15
Revision Date: 7/24/2018

The information and recommendations contained herein are, to the best of JAX INC's knowledge and belief, accurate and reliable as of the date issued. JAX INC makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC's interpretation of the available data.

\*\*\* END OF SDS \*\*\*