

To comply with the Hazardous Substance and New Organisms Act, this coversheet offers New Zealand specific information. This page "0", is to be considered part of the MSDS.

PRODUCT NAME & COMPANY IDENTIFICATION

TRADE NAME	DATE OF ISSUE
MAGNA-PLATE 78 (AEROSOL)	16 January 2024

Company Name INDUSTRIAL LUBRICANTS & SERVICES LTD

1/15 Accent Drive East Tamaki

Auckland. 2013

Tel - (+64) 9 274 0159

Emergency Contact

National Poisons Centre - New Zealand 0800 764 766 or Chemcall 0800 243 622

HAZARD IDENTIFICATION

According to criteria in the Hazardous Substances (Hazard Classification) Notice 2020, this material is CLASSIFIED as Hazardous

According to criteria in Transport of Dangerous Goods on Land NZS 5433:2020, product is CLASSIFIED as a Dangerous Good for transport.

OTHER INFORMATION

HSN (Tariff Code)	2710.12.59 19B
Shelf Life	5 Years

INDUSTRIAL LUBRICANTS & SERVICES LTD

CS Tel: 0800 104 011

Technical Tel: 0800 104 017

www.ils.co.nz orders@ils.co.nz Page 0 of 5

MAGNA-PLATE 78 (AEROSOL)
Issue Date: 16/01/2024



SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 5

Revision Date 2/2/2021 **Supersedes Date** 9/17/2020

SECTION 1. IDENTIFICATION

Product identifier: JAX Magna-Plate® 78 (Aerosol)

Part number: JAX114; JAX114NT

Identified uses: Lubricant where there may be incidental food contact

Uses advised against: Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

JAX INC. **Supplier:**

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

Email contact: info@jax.com

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

INFOTRAC: Emergency telephone:

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

China 400-120-0761 International 011-1-352-323-3500 (collect)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification: Flammable Aerosol Cat. 1; Gases under Pressure (Compressed Gas); Aspiration Toxicity Cat. 1; Skin Irritant Cat. 2; STOT SE Cat.

3 (Central Nervous System)

Label elements

Signal word:

Pictograms:

Hazard statements: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters

airways. Causes skin irritation. May cause drowsiness or dizziness.

Precautionary

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition statements:

source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing fume/ mist/ vapors/ spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a poison center/ doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Protect

from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store locked up in a well-ventilated place. Keep container tightly closed. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

Hazards not otherwise Harmful to aquatic life with long lasting effects.

classified:

Additional information: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Danger

Composition:	<u>Chemical name</u>	<u>%</u>	CAS #	<u>Impurities</u>
	Naphtha (petroleum), hydrotreated light*	10-25	64742-49-0	None
	Pentane	10-25	109-66-0	None
	Propane	2.5-10	74-98-6	None
	Rutane	2 5-10	106-07-8	None

SECTION 4. FIRST-AID MEASURES

First aid measures

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation Eve contact:

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

Page 2 of 5 JAX Magna-Plate® 78 (Aerosol)

2/2/2021 **Revision Date Supersedes Date** 9/17/2020

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Ingestion: If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention.

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important

May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.

symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment available:

General information: No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be

used to keep fire-exposed containers cool.

Unsuitable extinguishing media: Do not use direct stream of water.

Specific hazards:

Extremely flammable aerosol. Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to

keep containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment

and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Keep away from heat and direct sunlight. Keep away from ignition sources - Do not smoke. Protect against electrostatic discharges. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Observe official regulations on storing packagings with pressurized containers. Store away from oxidizing agents. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 50°C (122°F). Rotate stock.

Exposure limit and source

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure **Chemical name** limits:

Naphtha (petroleum), hydrotreated light* 1400 mg/m3, 8h, ACGIH

Pentane Long-term value = 1800 mg/m³, 600 ppm

Propane Not available

Butane Short-term value = 1450 mg/m³, 600 ppm Long-term value = 1810 mg/m³, 750 ppm

Exposure controls

Engineering controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Page 3 of 5 JAX Magna-Plate® 78 (Aerosol)

2/2/2021 **Revision Date Supersedes Date** 9/17/2020

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Colorless liquid with a slight odor Upper flammability limit: Not available Appearance / odor:

> Lower flammability limit: Not available

Liquid and compressed gas **Physical state:** Not available Vapor pressure:

Odor threshold: Not available Vapor density:

Not available: however, product is classified as an

Hazardous reactions are not expected to occur.

Not available

Not available

Not available pH:

Melting / freezing point: Not available Relative density: 0.78 (typical)

Initial boiling point Not available

and boiling range: Not available Solubility in water:

> Partition coefficient (nextremely flammable aerosol octanol/water):

Evaporation rate: Not available **Autoignition temperature:** Not available

Decomposition temperature: Not available

Flammability (solid, gas): Extremely flammable aerosol Viscosity: Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. **Chemical stability:**

Possibility of

hazardous reactions:

Flash point:

Conditions and Avoid strong oxidizers, selected amines, strong acids or bases, and alkalis such as liquid chlorine, hydrogen peroxide, and

materials to avoid: oxygen.

Hazardous Fumes, smoke, carbon monoxide, carbon dioxide, sulfur oxides, aldehydes, and other oxides of incomplete combustion.

decomposition products:

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

No known significant effects or critical hazards. Eye contact:

Skin contact: Causes skin irritation.

May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Inhalation:

May be fatal if swallowed and enters airways. Ingestion:

Components LD₅₀ LC₅₀ Component

information: Naphtha (petroleum), hydrotreated light* >5000 mg/kg (oral, rat) >73.5 mg/l/4h (inhalation, rat)

> Pentane Not available Not available Not available Propane Not available

Butane Not available 658 mg/l/4h (inhalation, rat)

Information on physical, chemical and toxicological effects

Symptoms: See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

JAX Magna-Plate® 78 (Aerosol)

Page 4 of 5

Revision Date Supersedes Date 2/2/2021 9/17/2020

Numerical measures of Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Harmful to aquatic life with long lasting effects.

Component L(E)C₅₀ Components

information: Naphtha (petroleum), hydrotreated light* 1.5 mg/l/48h (daphnia magna) Pentane 2.7 mg/l/48h (daphnia magna)

> Propane Not available Not available **Butane**

Persistence and degradability:

Not determined

Bioaccumulative

Not determined

potential:

Mobility in soil: Not available Other adverse effects: Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

methods: Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
U.S. D.O.T.	Aerosols, flammable	UN1950	2.1	None	Refer to Code of Federal Regulations, Title 49 (49 CFR) for additional information on provisions, packaging, and Limited Quantity exceptions.
ADR/RID	Aerosols, flammable	UN1950	2.1	None	Tunnel Restriction D
<u>IMDG</u>	Aerosols, flammable	UN1950	2.1	None	None
<u>IATA</u>	Aerosols, flammable	UN1950	2.1	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: SARA Section 302

Extremely Hazardous

Substances:

None

SARA Section 304 **CERCLA Hazardous** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

reporting to the National Response Center under CERCLA:

Substances: None

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis threshold value:

Chemicals:

TSCA Inventory: All components are either listed or exempted from listing on the TSCA Inventory.

U.S. State Regulations

California Proposition

65 Status:

California None

Proposition 65 Listed Components:

International Regulations

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI:

Not available

JAX Magna-Plate® 78 (Aerosol)

Page 5 of 5

Revision Date

Revision Date 2/2/2021 Supersedes Date 9/17/2020

Australia: Not available
Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised: Reviewed for Accuracy

Revision Date: 2/2/2021

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.

*** END OF SDS ***