

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)
Issue date: 22/09/2022 Revision date: 22/09/2022 Supersedes: 22/09/2022 Version: 1.1

SECTION 1: Identification**1.1 Product identifier**

Trade name : MEDALLION™ FM GREASE NLGI 0
Product form : Mixture

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Recommended use : Lubricants, Greases and Release Products

1.4 Details of manufacturer or importer**Manufacturer**

Whitmore
930 Whitmore Drive
Rockwall, Texas 75087
USA
T 1.972.771.1000
Regulatory@whitmores.com - www.whitmores.com

Distributor

Industrial Lubricants & Services Limited
P.O. Box 259 347
Botany, Manukau 2163 Auckland
New Zealand
T 0800 10 40 11 - F 0800 10 40 15
orders@ils.co.nz - www.ils.co.nz

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week
Within USA and Canada: 1.800.424.9300
Outside USA and Canada: +1.703.527.3887
(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
New Zealand	Chemtrec - New Zealand	Auckland	Local (City) +64 9-801 0034	
New Zealand	Chemtrec - New Zealand		Toll Free 0800 425 459	
New Zealand	New Zealand National Poison Centre Dunedin School of Medicine, University of Otago	P.O. Box 56 9054 Dunedin	0800 764 766 ILS Technical Helpline 0800 10 40 17	

SECTION 2: Hazard identification**2.1. Classification of the hazardous chemical****Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)**

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

2.2. GHS Label elements, including precautionary statements**GHS NZ labelling**

Hazard statements (GHS NZ) : H412 - Harmful to aquatic life with long lasting effects
Prevention : P273 - Avoid release to the environment.
Disposal : P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
calcium carbonate	CAS-No.: 471-34-1	≥ 4.165	Aquatic Acute 3, H402 Aquatic Chronic 3, H412
zinc oxide	CAS-No.: 1314-13-2	1.75	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2,6-di-tert-butyl-p-cresol	CAS-No.: 128-37-0	0.2425 – 0.2475	Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

No additional information available

4.2. Symptoms caused by exposure

No additional information available

4.3. Medical attention and special treatment

No additional information available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

No additional information available

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

6.3. Methods and materials for containment and cleaning up

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

No additional information available

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

calcium carbonate (471-34-1)	
New Zealand - Occupational Exposure Limits	
Local name	Marble (Calcium carbonate)
WES-TWA (OEL TWA) [1]	10 mg/m ³
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition
2,6-di-tert-butyl-p-cresol (128-37-0)	
New Zealand - Occupational Exposure Limits	
Local name	Butylated hydroxytoluene (2,6-Di-tert-butyl-p-cresol)
WES-TWA (OEL TWA) [1]	10 mg/m ³
Remark (NZ)	dsen (Dermal sensitiser)
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition
zinc oxide (1314-13-2)	
New Zealand - Occupational Exposure Limits	
Local name	Zinc oxide
WES-TWA (OEL TWA) [1]	0.1 mg/m ³ r (The value for respirable dust) 2 mg/m ³
WES-STEL (OEL STEL)	0.5 mg/m ³ r (The value for respirable dust) 5 mg/m ³
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

No additional information available

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Neoprene or nitrile rubber gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Eye protection : Wear eye protection

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Skin and body protection : Wear suitable protective clothing
Respiratory protection : No respiratory protection needed under normal use conditions

SECTION 9: Physical and chemical properties

Physical state : Solid
Appearance : Grease.
Colour : white
Odour : Petroleum-like odour
Odour threshold : No additional information available
pH : No additional information available
Evaporation rate : No additional information available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : No additional information available
Boiling point : No data available
Flash point : > 113 °C Open cup
Auto-ignition temperature : No data available
Flammability : No additional information available
Vapour pressure : No additional information available
Relative density : No additional information available
Density : No additional information available
Solubility : insoluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : 108 mm²/s @ 40° C
Viscosity, dynamic : No data available
Explosive properties : No data available
Explosive limits : No additional information available
Minimum ignition energy : No data available

SECTION 10: Stability and reactivity

Reactivity : No additional information available
Chemical stability : No additional information available
Possibility of hazardous reactions : No additional information available
Conditions to avoid : No additional information available
Incompatible materials : No additional information available
Hazardous decomposition products : No additional information available

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

calcium carbonate (471-34-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
2,6-di-tert-butyl-p-cresol (128-37-0)	
LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

zinc oxide (1314-13-2)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 5.7 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2,6-di-tert-butyl-p-cresol (128-37-0)	
NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
calcium carbonate (471-34-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
2,6-di-tert-butyl-p-cresol (128-37-0)	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Animal sex: male
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
zinc oxide (1314-13-2)	
LOAEL (dermal, rat/rabbit, 90 days)	75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEL (oral, rat, 90 days)	31.52 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified
MEDALLION™ FM GREASE NLGI 0	
Viscosity, kinematic	108 mm ² /s @ 40° C
calcium carbonate (471-34-1)	
Viscosity, kinematic	Not applicable (solid)
2,6-di-tert-butyl-p-cresol (128-37-0)	
Viscosity, kinematic	3.47 mm ² /s (0 °C, ASTM D445: Capillary viscometer)

SECTION 12: Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

calcium carbonate (471-34-1)	
LC50 - Fish [1]	> 100 % (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Saturated solution)

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

calcium carbonate (471-34-1)	
EC50 - Crustacea [1]	> 100 % (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Saturated solution)
EC50 72h - Algae [1]	> 14 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
2,6-di-tert-butyl-p-cresol (128-37-0)	
LC50 - Fish [1]	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.84 mg/l
EC50 72h - Algae [1]	> 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.053 mg/l
BCF - Fish [1]	230 – 2500 (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
zinc oxide (1314-13-2)	
LC50 - Fish [1]	0.169 mg/l (ASTM E729-88, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Read-across, Zinc ion)
EC50 - Crustacea [1]	0.098 mg/l
NOEC chronic algae	0.0299 mg/l
Partition coefficient n-octanol/water (Log Pow)	1.53 (Estimated value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.2 (log Koc, Literature study)
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)

12.2. Persistence and degradability

MEDALLION™ FM GREASE NLGI 0	
Persistence and degradability	No additional information available
calcium carbonate (471-34-1)	
Not rapidly degradable	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

2,6-di-tert-butyl-p-cresol (128-37-0)	
Not rapidly degradable	
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.51 g O ₂ /g substance
Chemical oxygen demand (COD)	2.27 g O ₂ /g substance
ThOD	2.977 g O ₂ /g substance
zinc oxide (1314-13-2)	
Not rapidly degradable	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

MEDALLION™ FM GREASE NLGI 0	
Bioaccumulative potential	No additional information available
calcium carbonate (471-34-1)	
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2,6-di-tert-butyl-p-cresol (128-37-0)	
BCF - Fish [1]	230 – 2500 (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
zinc oxide (1314-13-2)	
Partition coefficient n-octanol/water (Log Pow)	1.53 (Estimated value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.2 (log Koc, Literature study)
Bioaccumulative potential	Slightly or not bioaccumulative.

12.4. Mobility in soil

MEDALLION™ FM GREASE NLGI 0	
Mobility in soil	No additional information available
calcium carbonate (471-34-1)	
Mobility in soil	4.971 Source: Quantitative Structure Activity Relation
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)
Ecology - soil	Adsorbs into the soil.
2,6-di-tert-butyl-p-cresol (128-37-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

zinc oxide (1314-13-2)	
Surface tension	Not applicable
Partition coefficient n-octanol/water (Log Pow)	1.53 (Estimated value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.2 (log Koc, Literature study)

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

No additional information available

SECTION 14: Transport information

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Transport by road and rail

No data available

Transport by sea

No data available

Air transport

No data available

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

MEDALLION™ FM GREASE NLGI 0

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

calcium carbonate (471-34-1)	
Hazardous Substances and New Organisms Act	
HSNO Approval Number	HSR006678

2,6-di-tert-butyl-p-cresol (128-37-0)	
Hazardous Substances and New Organisms Act	
HSNO Approval Number	HSR002784

zinc oxide (1314-13-2)	
Hazardous Substances and New Organisms Act	
HSNO Approval Number	HSR003104

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 22/09/2022
Revision date : 22/09/2022
Supersedes : 22/09/2022

Full text of H-statements	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.