

**Safety Data Sheet**

according to the Hazardous Substances and New Organisms Act (1996)  
Issue date: 23/09/2022 Revision date: 23/09/2022 Supersedes: 23/09/2022 Version: 1.1

**SECTION 1: Identification****1.1 Product identifier**

Trade name : MEDALLION™ FM GREASE NLGI 2  
Product form : Mixture

**1.2 Other means of identification**

No additional information available

**1.3 Recommended use of the chemical and restrictions on use**

Recommended use : Lubricants, Greases and Release Products

**1.4 Details of manufacturer or importer****Manufacturer**

Whitmore  
930 Whitmore Drive  
Rockwall, Texas 75087  
USA  
T 1.972.771.1000  
[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.whitmores.com](http://www.whitmores.com)

**Distributor**

Industrial Lubricants & Services Limited  
P.O. Box 259 347  
Botany, Manukau 2163 Auckland  
New Zealand  
T 0800 10 40 11 - F 0800 10 40 15  
[orders@ils.co.nz](mailto:orders@ils.co.nz) - [www.ils.co.nz](http://www.ils.co.nz)

**1.5. Emergency phone number**

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  
Within USA and Canada: 1.800.424.9300  
Outside USA and Canada: +1.703.527.3887  
(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
New Zealand	Chemtrec - New Zealand	Auckland	Local (City) +64 9-801 0034	
New Zealand	Chemtrec - New Zealand		Toll Free 0800 425 459	
New Zealand	New Zealand National Poison Centre Dunedin School of Medicine, University of Otago	P.O. Box 56 9054 Dunedin	0800 764 766 ILS Technical Helpline 0800 10 40 17	

**SECTION 2: Hazard identification****2.1. Classification of the hazardous chemical**

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Not classified

**2.2. GHS Label elements, including precautionary statements****GHS NZ labelling**

No labelling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**SECTION 3: Composition and information on ingredients****3.1. Substances**

Not applicable

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
calcium carbonate	CAS-No.: 471-34-1	≥ 4.165	Aquatic Acute 3, H402 Aquatic Chronic 3, H412
2,6-di-tert-butyl-p-cresol	CAS-No.: 128-37-0	0.2425 – 0.2475	Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Symptoms caused by exposure

No additional information available

### 4.3. Medical attention and special treatment

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

2,6-di-tert-butyl-p-cresol (128-37-0)	
<b>New Zealand - Occupational Exposure Limits</b>	
Local name	Butylated hydroxytoluene (2,6-Di-tert-butyl-p-cresol)
WES-TWA (OEL TWA) [1]	10 mg/m <sup>3</sup>
Remark (NZ)	dsen (Dermal sensitiser)
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition
calcium carbonate (471-34-1)	
<b>New Zealand - Occupational Exposure Limits</b>	
Local name	Marble (Calcium carbonate)
WES-TWA (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition

#### Exposure limit values for the other components

No additional information available

#### 8.2. Monitoring methods

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Neoprene or nitrile rubber gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Eye protection : Wear eye protection  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : No respiratory protection needed under normal use conditions  
Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

Physical state : Solid  
Appearance : Paste.  
Colour : white  
Odour : petroleum-like odour  
Odour threshold : No additional information available  
pH : No additional information available  
Evaporation rate : No additional information available  
Relative evaporation rate (butylacetate=1) : No data available

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Melting point / Freezing point	: Freezing point: Not applicable
Boiling point	: No data available
Flash point	: > 113 °C (Open cup)
Auto-ignition temperature	: Not applicable
Flammability	: Non flammable.
Vapour pressure	: No additional information available
Relative density	: No additional information available
Density	: No additional information available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: > 142 mm <sup>2</sup> /s @ 40 C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: Not applicable
Minimum ignition energy	: No data available

### SECTION 10: Stability and reactivity

Reactivity	: No additional information available
Chemical stability	: No additional information available
Possibility of hazardous reactions	: No additional information available
Conditions to avoid	: No additional information available
Incompatible materials	: No additional information available
Hazardous decomposition products	: No additional information available

### SECTION 11: Toxicological information

#### 11.1. Toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2,6-di-tert-butyl-p-cresol (128-37-0)	
LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l

calcium carbonate (471-34-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

2,6-di-tert-butyl-p-cresol (128-37-0)	
NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: toxicity (migrated information)

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

2,6-di-tert-butyl-p-cresol (128-37-0)	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Animal sex: male

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

2,6-di-tert-butyl-p-cresol (128-37-0)	
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Animal sex: male
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
calcium carbonate (471-34-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified
MEDALLION™ FM GREASE NLGI 2	
Viscosity, kinematic	> 142 mm <sup>2</sup> /s @ 40 C
2,6-di-tert-butyl-p-cresol (128-37-0)	
Viscosity, kinematic	3.47 mm <sup>2</sup> /s (0 °C, ASTM D445: Capillary viscometer)
calcium carbonate (471-34-1)	
Viscosity, kinematic	Not applicable (solid)

## SECTION 12: Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

2,6-di-tert-butyl-p-cresol (128-37-0)	
LC50 - Fish [1]	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.84 mg/l
EC50 72h - Algae [1]	> 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.053 mg/l
BCF - Fish [1]	230 – 2500 (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
calcium carbonate (471-34-1)	
LC50 - Fish [1]	> 100 % (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Saturated solution)
EC50 - Crustacea [1]	> 100 % (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Saturated solution)
EC50 72h - Algae [1]	> 14 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

calcium carbonate (471-34-1)	
	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)

### 12.2. Persistence and degradability

MEDALLION™ FM GREASE NLGI 2	
Persistence and degradability	No additional information available
2,6-di-tert-butyl-p-cresol (128-37-0)	
Not rapidly degradable	
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.51 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.27 g O <sub>2</sub> /g substance
ThOD	2.977 g O <sub>2</sub> /g substance
calcium carbonate (471-34-1)	
Not rapidly degradable	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

### 12.3. Bioaccumulative potential

MEDALLION™ FM GREASE NLGI 2	
Bioaccumulative potential	No additional information available
2,6-di-tert-butyl-p-cresol (128-37-0)	
BCF - Fish [1]	230 – 2500 (OECD 305: Bioconcentration: Flow-Through Fish Test, 56 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
calcium carbonate (471-34-1)	
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Mobility in soil

MEDALLION™ FM GREASE NLGI 2	
Mobility in soil	No additional information available
2,6-di-tert-butyl-p-cresol (128-37-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	4.17 (Experimental value, 37 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.362 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

calcium carbonate (471-34-1)	
Mobility in soil	4.971 Source: Quantitative Structure Activity Relation
Partition coefficient n-octanol/water (Log Pow)	-2.12 (Estimated value)
Ecology - soil	Adsorbs into the soil.

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

## SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

IMDG	IATA	UNRTDG
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. UN Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

#### Transport by road and rail

No data available

#### Transport by sea

No data available

#### Air transport

No data available

### 14.7. Transport in bulk according to IMO instruments

Not applicable

### 14.8. Hazchem or Emergency Action Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

2,6-di-tert-butyl-p-cresol (128-37-0)	
<b>Hazardous Substances and New Organisms Act</b>	
HSNO Approval Number	HSR002784

# MEDALLION™ FM GREASE NLGI 2

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

calcium carbonate (471-34-1)

### Hazardous Substances and New Organisms Act

HSNO Approval Number HSR006678

### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Issue date : 23/09/2022  
Revision date : 23/09/2022  
Supersedes : 23/09/2022

#### Full text of H-statements

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.