

**Safety Data Sheet**

according to the Hazardous Substances and New Organisms Act (1996)  
Issue date: 23/09/2022 Revision date: 11/10/2022 Supersedes: 23/09/2022 Version: 1.1

**SECTION 1: Identification****1.1 Product identifier**

Trade name : SURTAC® 2000 XD  
Product form : Mixture

**1.2 Other means of identification**

No additional information available

**1.3 Recommended use of the chemical and restrictions on use**

Recommended use : Lubricants, Greases and Release Products

**1.4 Details of manufacturer or importer****Manufacturer**

Whitmore  
930 Whitmore Drive  
Rockwall, Texas 75087  
USA  
T 1.972.771.1000  
[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.whitmores.com](http://www.whitmores.com)

**Distributor**

Industrial Lubricants & Services Limited  
P.O. Box 259 347  
Botany, Manukau 2163 Auckland  
New Zealand  
T 0800 10 40 11 - F 0800 10 40 15  
[orders@ils.co.nz](mailto:orders@ils.co.nz) - [www.ils.co.nz](http://www.ils.co.nz)

**1.5. Emergency phone number**

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  
Within USA and Canada: 1.800.424.9300  
Outside USA and Canada: +1.703.527.3887  
(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
New Zealand	Chemtrec - New Zealand	Auckland	Local (City) +64 9-801 0034	
New Zealand	Chemtrec - New Zealand		Toll Free 0800 425 459	
New Zealand	New Zealand National Poison Centre Dunedin School of Medicine, University of Otago	P.O. Box 56 9054 Dunedin	0800 764 766 ILS Technical Helpline 0800 10 40 17	

**SECTION 2: Hazard identification****2.1. Classification of the hazardous chemical**

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

**2.2. GHS Label elements, including precautionary statements****GHS NZ labelling**

Hazard pictograms (GHS NZ) :



Hazard statements (GHS NZ) : H411 - Toxic to aquatic life with long lasting effects  
Prevention : P273 - Avoid release to the environment.  
Response : P391 - Collect spillage.  
Disposal : P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**2.3. Other hazards which do not result in classification**

No additional information available

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 3: Composition and information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
graphite	CAS-No.: 7782-42-5	≥ 10.5732	Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Carbamodithioicacid,dibutyl-,methylenester	CAS-No.: 10254-57-6	7.43	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### SECTION 4: First-aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Symptoms caused by exposure

No additional information available

#### 4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

##### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

graphite (7782-42-5)

##### New Zealand - Occupational Exposure Limits

Local name	Graphite, all forms except graphite fibres
WES-TWA (OEL TWA) [1]	3 mg/m <sup>3</sup> r (The value for respirable dust)
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition

##### Exposure limit values for the other components

No additional information available

#### 8.2. Monitoring methods

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Neoprene or nitrile rubber gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Eye protection : Wear eye protection  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : No respiratory protection needed under normal use conditions  
Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

Physical state : Solid  
Appearance : Grease.  
Colour : dark grey  
Odour : petroleum-like odour  
Odour threshold : No additional information available  
pH : No additional information available  
Evaporation rate : No additional information available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point / Freezing point : No additional information available  
Boiling point : No data available  
Flash point : > 110 °C Open cup  
Auto-ignition temperature : No data available  
Flammability : Non flammable.  
Vapour pressure : No additional information available  
Relative density : No additional information available  
Density : No additional information available  
Solubility : insoluble in water.  
Partition coefficient n-octanol/water (Log Pow) : No data available  
Viscosity, kinematic : 380 mm<sup>2</sup>/s @ 100°C

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No additional information available
Minimum ignition energy	: No data available
VOC content	: < 0.1 %

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

graphite (7782-42-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2000 mg/m <sup>3</sup> air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: ECHA

Carbamodithioicacid,dibutyl-,methylester (10254-57-6)	
LD50 oral rat	> 16000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:Section 1500.40-Federal Hazardous Substances Act Regulations-16 CFR-P. 123, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

graphite (7782-42-5)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Carbamodithioicacid,dibutyl-,methylester (10254-57-6)	
LOAEL (oral, rat, 90 days)	314 – 425.2 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard	: Not classified
-------------------	------------------

SURTAC® 2000 XD	
Viscosity, kinematic	380 mm <sup>2</sup> /s @ 100°C

Carbamodithioicacid,dibutyl-,methylester (10254-57-6)	
Viscosity, kinematic	1383 mm <sup>2</sup> /s Temp.: 'other:25.0°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Ecology - general	: Harmful to aquatic life with long lasting effects. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	19 mg/l
EC50 72h - Algae [2]	7.2 mg/l
ErC50 algae	> 100 mg/l
NOEC (chronic)	47 mg/l
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)

Carbamodithioicacid,dibutyl-,methylenester (10254-57-6)	
LC50 - Fish [1]	> 0.06 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 0.052 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.0325 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:Section 1500.40-Federal Hazardous Substances Act Regulations-16 CFR-P. 123, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral rat	> 16000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

#### 12.2. Persistence and degradability

SURTAC® 2000 XD	
Persistence and degradability	No additional information available

graphite (7782-42-5)	
Not rapidly degradable	

Carbamodithioicacid,dibutyl-,methylenester (10254-57-6)	
Not rapidly degradable	

#### 12.3. Bioaccumulative potential

SURTAC® 2000 XD	
Bioaccumulative potential	No additional information available

#### 12.4. Mobility in soil

SURTAC® 2000 XD	
Mobility in soil	No additional information available

#### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

IMDG	IATA	UNRTDG
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. UN Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

#### Transport by road and rail

No data available

#### Transport by sea

No data available

#### Air transport

No data available

### 14.7. Transport in bulk according to IMO instruments

Not applicable

### 14.8. Hazchem or Emergency Action Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Issue date : 23/09/2022  
Revision date : 11/10/2022  
Supersedes : 23/09/2022

Full text of H-statements	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard, Category 2

# SURTAC® 2000 XD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Full text of H-statements	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.